

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: BAGELS & BLARNEY (ID: 692598)
Facility Name: BAGELS & BLARNEY
Facility Code: 00973-01 Facility Email: None
Facility Address: 2898 WESTINGHOUSE ROAD HORSEHEADS, NY 14845

To the Attention of:
MARC PRUTSMAN
DBA - BAGELS & BLARNEY 2898 WESTINGHOUSE RD
HORSEHEADS , NY 14845- Owner/Operator Email: mprutsman@stny.rr.com

Inspection
Date: MAR 13, 2017 09:38 AM
Inspector: Erin Walmsley (ewalmsley@co.chemung.ny.us)
Responsible Person: Marc Prutsman
(email:)

Summary
Number of public health hazards found: 1
Number of public health hazards NOT corrected: 0
Number of other violations found: 3

Each item found in violation is reported below along with the code requirement.

FOODS ADULTERATED OR RECEIVED FROM UNAPPROVED SOURCES.

ITEM # 1B WAS FOUND IN VIOLATION 1 TIME(S). CRITICAL VIOLATION

All or parts of the violation item are IN violation.

Code Requirements

Water/ice: unsafe, unapproved sources, cross connections

Inspector Findings

Observed hose connected to faucet of mop sink and is below lip of sink. Interview with operator stated that water lines had been changed recently to create an L shape in the line to prevent back ups so was unaware that hose couldn't be stored in sink. Discussed options of storing hose end out of sink, removing hose and using a vacuum breaker. Hose was hung on wall during inspection. CORRECTED.

FOOD NOT PROTECTED IN GENERAL

ITEM # 8E WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Accurate thermometers not available or used to evaluate refrigerated or heated storage temperatures

Inspector Findings

Observed inaccurate probe thermometer (reading 12dF less than actual temperature) in refrigerator in back kitchen. Demonstrated calibration of probe thermometer. CORRECTED.

IMPROPER SANITARY FACILITIES AND CONTROLS.

ITEM # 12D WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Toilet facilities inadequate, inconvenient, dirty, in disrepair, toilet paper missing, not self-closing doors, missing hand wash signs

Inspector Findings

Observed restroom door open during inspection. Interview indicated that spring to make door self closing broke and new one has been ordered. Discussed monitoring that door is kept closed during hours of operation until fixed. Time table of correction (TTOC) 3/27/17.

INADEQUATE INSECT/RODENT CONTROL

ITEM # 14C WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Pesticide application not supervised by a certified applicator

Inspector Findings

Observed a can of raid on slotted shelf next to salt and pepper shakers. No contamination observed. Discussed requirement for all pesticide application to be conducted by pest control operator. TTOC 3/27/17

Additional Information Collected During Inspection

Comments

Observed food items in cold holding make unit at temperature of 38dF. Observed soup in kettle at temperature of 173dF. Discussed hand washing, glove use and ill food worker policy.

END of REPORT

[Submit# 272839] BAGELS & BLARNEY (ID 692598) Inspection# 1001948793