

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Institutional Food Service Inspection -- Summary Report

Operation: BEECHER SCHOOL CAFETERIA (ID: 265491)
Facility Name: BEECHER SCHOOL
Facility Code: 00439-09 Facility Email: None
Facility Address: 310 SULLIVAN STREET ELMIRA, NY 14901

To the Attention of:
KARI CROUSE ELMIRA CITY SCHOOL DISTRICT
C/O - ELMIRA H.S. (Attn: K. CROUSE) 777 S. MAIN ST.
ELMIRA , NY 14904- Owner/Operator Email: kcrouse@gstboces.org

Inspection

Date: FEB 03, 2017 11:30 AM
Inspector: Michael Cain (mcain@co.chemung.ny.us)
Responsible Person: Tari Buchholz, Manager
(email:)

Summary

Number of public health hazards found: 0
Number of public health hazards NOT corrected: 0
Number of other violations found: 0

Each item found in violation is reported below along with the code requirement.

NO VIOLATIONS WERE OBSERVED.

Code Requirements

Inspector Findings

Additional Information Collected During Inspection

Comments

Checked temperatures during inspection- Baked Fish- 175 degrees F, Macaroni-N-Cheese- +180 degrees F, Broccoli- 173 degrees F, Milk- 38 degrees F.
Checked wiping cloth sanitizer- 200 ppm. Observed employees washing hands and using plastic gloves properly during inspection. Employees are maintaining temperature log sheets for potentially hazardous (TCS) foods, discussed calibration of numerical thermometers with Manager during inspection. Final rinse temperature of dish machine- 182 degrees F (per temperature gauge).

END of REPORT

[Submit# 265093] BEECHER SCHOOL CAFETERIA (ID 265491) Inspection# 1001937137