

Chemung County Department of Health  
Environmental Health Services  
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588  
(607) 737 - 2019  
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: BELL'S COUNTRY COFFEE (ARNOT MALL) (ID: 909952)  
Facility Name: BELL'S COUNTRY COFFEE (MALL)  
Facility Code: 01266-01 Facility Email: None  
Facility Address: 3300 CHAMBERS RD, SUITE P1A HORSEHEADS, NY 14845

To the Attention of:  
CARRIE LUCKNER-ZIMMERMAN BELL'S COUNTRY COFFEE, LLC  
ATTN: CARRIE LUCKNER-ZIMMERMAN 2 BRIARFIELD DR.  
GREAT NECK , NY 11020- Owner/Operator Email: carrieluckner@hotmail.com

Inspection  
Date: JAN 04, 2017 12:48 PM  
Inspector: Zachary Cavaluzzi (zcavaluzzi@co.chemung.ny.us)  
Responsible Person: Alexandria Hawk  
(email: )

Summary  
Number of public health hazards found: 0  
Number of public health hazards NOT corrected: 0  
Number of other violations found: 2

Each item found in violation is reported below along with the code requirement.

**IMPROPER CLEANING, WASHING AND SANITIZING OF EQUIPMENT AND UTENSILS.**

**ITEM # 11A WAS FOUND IN VIOLATION 1 TIME(S).**

All or parts of the violation item are IN violation.

Code Requirements

Manual facilities inadequate, technique incorrect; mechanical facilities not operated in accordance with manufacturer's instructions

Inspector Findings

Facility lacking test strips to check for levels of bleach sanitizer and quaternary ammonia sanitizer. Observed adequate level of quaternary ammonia sanitizer (200 ppm) in facility's sanitizing bay of two bay sink behind counter. Manager stated she would be making a trip to their second facility in the afternoon and would pick up more test strips.

**IMPROPER SANITARY FACILITIES AND CONTROLS.**

**ITEM # 12D WAS FOUND IN VIOLATION 1 TIME(S).**

All or parts of the violation item are IN violation.

Code Requirements

Toilet facilities inadequate, inconvenient, dirty, in disrepair, toilet paper missing, not self-closing doors, missing hand wash signs

Inspector Findings

Paper towels missing from facility's toilet room during time of inspection. Employee located a roll of paper towels and placed them in the toilet room.  
CORRECTED

---

Additional Information Collected During Inspection

Comments

Discussed proper calibration of probe thermometer. Observed thermometers in both refrigeration units containing potentially hazardous food (PHF/TCS) and observed items at a temperature of 41-42F. Discussed proper storage of single use items.

---

END of REPORT

[Submit# 258999] BELL'S COUNTRY COFFEE (ARNOT MALL) (ID 909952) Inspection# 1001928580