

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: BISTRO 223 (ID: 736907)
Facility Name: BISTRO 223
Facility Code: 01041-02 Facility Email: None
Facility Address: 221-223 WEST WATER STREET ELMIRA, NY 14901

To the Attention of:
MASROOR AHMAD BISTRO 223, LLC
DBA - BISTRO 223 221-223 W. WATER ST.
ELMIRA , NY 14901- Owner/Operator Email: maxtareen@yahoo.com

Field Visit
Date: NOV 30, 2017 03:45 PM
Inspector: Jonathan Keough (jkeough@co.chemung.ny.us)
Responsible Person: Max Ahmad
(email:)

Summary
Number of public health hazards found: 0
Number of public health hazards NOT corrected: 0
Number of other violations found: 2

Each item found in violation is reported below along with the code requirement.

INADEQUATE INSECT/RODENT CONTROL

ITEM # 14A WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Insects, rodents present

Inspector Findings

Observed rodent feces in areas of kitchen, including on shelving, around dish machine, inside dirty dishes. No evidence observed in basement or at bar area. Glue traps were located behind equipment in kitchen and in basement, and all were empty. Advised operator to clean (wash, rinse, and sanitize) all affected areas and equipment prior to use. A reinspection will be conducted to verify correction.

ITEM # 14B WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Effective measures not used to control entrance (rodent-, insect-proof construction). Harborage areas available for rodents, insects and other vermin

Inspector Findings

Small holes observed in foundation wall along rear of building at basement level. Operator plans to seal holes to prevent entry of rodents. A timetable for correction of 12/7/2017 established at time of visit.

Additional Information Collected During Inspection

Comments

Also conducted HACCP exercise with operator at time of visit. Facility is open Thurs-Sat evenings only.

END of REPORT

[Submit# 345375] BISTRO 223 (ID 736907) Inspection# 1002221955