

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us
Institutional Food Service Inspection -- Summary Report

Operation: BROADWAY ACADEMY & ELEMENTARY CAFETERIA (ID: 265493)
Facility Name: BROADWAY ACADEMY & ELEMENTARY
Facility Code: 00086-09 Facility Email: None
Facility Address: 1000 BROADWAY ELMIRA, NY 14904

To the Attention of:
KARI CROUSE ELMIRA CITY SCHOOL DISTRICT
C/O - ELMIRA H.S. (Attn: K. CROUSE) 777 S. MAIN ST.
ELMIRA , NY 14904- Owner/Operator Email: kcrouse@gstboces.org

Re-Inspection
Date: FEB 07, 2017 11:04 AM
Inspector: Jonathan Keough (jkeough@co.chemung.ny.us)
Responsible Person: Victoria Payne
(email:)

Summary
Number of public health hazards found: 0
Number of public health hazards NOT corrected: 0
Number of other violations found: 0

Each item found in violation is reported below along with the code requirement.

NO VIOLATIONS WERE OBSERVED.

Code Requirements

Inspector Findings

Additional Information Collected During Inspection

Comments

Violation #12A corrected from inspection conducted 1/10/2017--verified hot water was available at hand washing sink in kitchen on middle school side. A new hot water tank was installed above sink. No other items were evaluated during reinspection.

END of REPORT

[Submit# 265821] BROADWAY ACADEMY & ELEMENTARY CAFETERIA (ID 265493) Inspection# 1001938931