

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: BUFFALO WILD WINGS #260 (ID: 733606)
Facility Name: BUFFALO WILD WINGS #260
Facility Code: 01042-01 Facility Email: 260@buffalowildwings.com
Facility Address: 1631 COUNTY ROUTE 64, UNIT G2 HORSEHEADS, NY 14845

To the Attention of:
EMILY DECKER BLAZIN WINGS, INC
ATTN: LICENSING 5500 WAYZATA BLVD., SUITE 1600
MINNEAPOLIS , MN 55416- Owner/Operator Email: licensing@buffalowildwings.com

Re-Inspection
Date: JUN 13, 2017 01:52 PM
Inspector: Erin Walmsley (ewalmsley@co.chemung.ny.us)
Responsible Person: Ashley Koehler
(email: JFarrance@buffalowildwings.com)

Summary
Number of public health hazards found: 1
Number of public health hazards NOT corrected: 0
Number of other violations found: 1

Each item found in violation is reported below along with the code requirement.

FOODS ADULTERATED OR RECEIVED FROM UNAPPROVED SOURCES.

ITEM # 1H WAS FOUND IN VIOLATION 1 TIME(S). CRITICAL VIOLATION

All or parts of the violation item are IN violation.

Code Requirements

Food from unapproved source, spoiled, adulterated on premises.

Inspector Findings

Observed frozen condensate waste water in direct contact with bags of potato chips in one 30 lb open box in walk-in freezer directly under condenser. Observed frozen condensate waste water on one closed box of 30lb raw chicken strips- food is bagged inside of box. Manager voluntarily discarded bags and open box of potato chips and box that contained chicken strips. Observed frozen condensate waste water dripping down from condenser and along wall behind condenser in walk-in freezer. Facility has been placing plastic bags over top of boxes to provide protection from contamination but stated that bags are not always effective as products get pulled out and bags slide. Recommended not storing any boxes of food under condenser. CORRECTED

IMPROPER SANITARY FACILITIES AND CONTROLS.

ITEM # 12C WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Plumbing and sinks not properly sized, installed, maintained; equipment and floors not properly drained

Inspector Findings

Observed frozen condensate waste water on condenser as well as wall behind condenser in walk-in freezer. Interview with manager service rep identified the vacuum seal in the door as the problem and part has been ordered, however, cooperate has not approved for the work to be completed on the unit. CCHD to establish a time table of correction with cooperate.

Comments

END of REPORT

[Submit# 293066] BUFFALO WILD WINGS #260 (ID 733606) Inspection# 1002010576