

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: CHARLEY'S PHILLY STEAKS (ID: 455166)
Facility Name: CHARLEY'S PHILLY STEAKS
Facility Code: 00673-01 Facility Email: cmanage@stny.rr.com
Facility Address: 830 COUNTY ROUTE 64 ELMIRA, NY 14903

To the Attention of:
MARK CAVALUZZI MAC FOOD CONCEPTS, INC
DBA - CHARLEY'S GRILLED SUBS 830 CO. RTE. 64, CONSUMER SQ. 19-D
ELMIRA , NY 14903- Owner/Operator Email: mark.cavaluzzi@stny.rr.com

Inspection
Date: AUG 08, 2017 01:45 PM
Inspector: Michael Cain (mcain@co.chemung.ny.us)
Responsible Person: Mark Cavaluzzi, Operator
(email:)

Summary
Number of public health hazards found: 0
Number of public health hazards NOT corrected: 0
Number of other violations found: 5
Reinspection is required.

Each item found in violation is reported below along with the code requirement.

FOOD NOT PROTECTED IN GENERAL

ITEM # 8A WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Food not protected during storage, preparation, display, transportation and service, from potential sources of contamination (e.g., food uncovered, mislabeled, stored on floor, missing or inadequate sneeze guards, food containers double stacked)

Inspector Findings

Cases of lettuce improperly stored on floor inside walk-in cooler, cases of bottled water improperly stored on floor outside of walk-in freezer.

POOR SANITARY DESIGN, CONSTRUCTION, INSTALLATION OF EQUIPMENT AND UTENSILS.

ITEM # 10B WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Non-food contact surfaces and equipment are improperly designed, constructed, installed, maintained (equipment not readily accessible for cleaning, surface not smooth finish)

Inspector Findings

Inside of ice machine- upper plastic tray/cover is not secure, is not secured to plastic pin on left side of tray.

IMPROPER CLEANING, WASHING AND SANITIZING OF EQUIPMENT AND UTENSILS.

ITEM # 11D WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Non food contact surfaces of equipment not clean

Inspector Findings

Storage racks inside of walk-in refrigerator- dirty surfaces, some rust evident (recommend cleaning and/or replacing racks if rust cannot be properly removed).

IMPROPER CONSTRUCTION AND MAINTENANCE OF PHYSICAL FACILITIES.

ITEM # 15A WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Floors, walls, ceilings, not smooth, properly constructed, in disrepair, dirty surfaces

Inspector Findings

Wall surfaces adjacent to deep fryer equipment- dirty, greasy surfaces.

ITEM # 15B WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Lighting and ventilation inadequate, fixtures not shielded, dirty ventilation hoods, ductwork, filters, exhaust fans

Inspector Findings

Hood filters above deep fryers- dirty, greasy surfaces.

Additional Information Collected During Inspection

Comments

Discussed proper use of plastic gloves and utensils with staff during inspection. Thermocouple available to evaluate cooked potentially hazardous (TCS) foods, sanitizer test kit available for evaluating dish ware sanitizer and wiping cloth solution. A Time Table Of Compliance Date of August 22, 2017 has been established to correct the violations listed above. A re-inspection will be conducted after this date to determine compliance.

END of REPORT

[Submit# 314225] CHARLEY'S PHILLY STEAKS (ID 455166) Inspection#

1002155986