

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: CHARLEY'S PHILLY STEAKS (ID: 455166)
Facility Name: CHARLEY'S PHILLY STEAKS
Facility Code: 00673-01 Facility Email: cmanage@stny.rr.com
Facility Address: 830 COUNTY ROUTE 64 ELMIRA, NY 14903

To the Attention of:
MARK CAVALUZZI MAC FOOD CONCEPTS, INC
DBA - CHARLEY'S GRILLED SUBS 830 CO. RTE. 64, CONSUMER SQ. 19-D
ELMIRA , NY 14903- Owner/Operator Email: mark.cavaluzzi@stny.rr.com

Re-Inspection
Date: SEP 01, 2017 02:30 PM
Inspector: Michael Cain (mcain@co.chemung.ny.us)
Responsible Person: Mark Cavaluzzi, Operator
(email:)

Summary
Number of public health hazards found: 0
Number of public health hazards NOT corrected: 0
Number of other violations found: 1

Each item found in violation is reported below along with the code requirement.

IMPROPER CLEANING, WASHING AND SANITIZING OF EQUIPMENT AND UTENSILS.

ITEM # 11D WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Non food contact surfaces of equipment not clean

Inspector Findings

Storage racks inside of walk-in refrigerator- dirty surfaces, some rust is evident (Racks which are not acceptable to be replaced by Operator).

Additional Information Collected During Inspection

Comments

Conducted a re-inspection due to previous violations noted on inspection report of 8-8-17. Regarding Blue-Item # 8A- Cases of lettuce and bottled water were properly stored off of floor in rear kitchen and inside walk-in cooler. RE: Blue-Item # 10 B- Upper plastic tray inside of ice machine secured, is not impacting ice inside machine. RE: Blue Items # 15 A & B- Wall Surfaces near deep fryers & hood filters above deep fryers have been cleaned. RE: Blue Item # 11 D- Some storage racks inside walk-in refrigerator- some racks are not easily cleanable with rusty surfaces (other racks were clean and acceptable)- Operator stated that he will replace those racks which are rusty & not easily cleanable. A Time Table Of Compliance Date of September 21, 2017 has been established to replace storage racks inside walk-in refrigerator which are in disrepair or not cleanable. A re-inspection will be conducted after this date to determine compliance.

END of REPORT

[Submit# 323285] CHARLEY'S PHILLY STEAKS (ID 455166) Inspection# 1002181628