

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Institutional Food Service Inspection -- Summary Report

Operation: COBURN SCHOOL CAFETERIA (ID: 265494)
Facility Name: COBURN SCHOOL
Facility Code: 00422-09 Facility Email: None
Facility Address: 216 MT. ZOAR STREET ELMIRA, NY 14904

To the Attention of:
KARI CROUSE ELMIRA CITY SCHOOL DISTRICT
C/O - ELMIRA H.S. (Attn: K. CROUSE) 777 S. MAIN ST.
ELMIRA , NY 14904- Owner/Operator Email: kcrouse@gstboces.org

Inspection

Date: OCT 05, 2017 12:00 PM
Inspector: Michael Cain (mcain@co.chemung.ny.us)
Responsible Person: Copy of inspection report was sent via e-mail to Kari Crouse (Elmira City Schools) on 10-5-17.
(email:)

Summary

Number of public health hazards found: 0
Number of public health hazards NOT corrected: 0
Number of other violations found: 1

Each item found in violation is reported below along with the code requirement.

IMPROPER CLEANING, WASHING AND SANITIZING OF EQUIPMENT AND UTENSILS.

ITEM # 11D WAS FOUND IN VIOLATION 1 TIME(S).

Part or parts of the violation item were observed to be in violation which were corrected at the time of inspection.

Code Requirements

Non food contact surfaces of equipment not clean

Inspector Findings

Interior surfaces of microwave oven- dirty surfaces- Corrected during inspection.

Additional Information Collected During Inspection

Comments

Checked Food Temperatures- Milk- 45 deg. F, Cheese Pizza- 145 deg. F, Hot Dog- 195 deg. F, Chicken Nuggets- 148 deg. F, Carrots- 182 deg. F, Chef Salad w/ Turkey & Ham- 42 deg. F. Digital thermometers available to evaluate hot and cold potentially hazardous (TCS) foods. Checked wiping cloth solution- +200 ppm- quaternary ammonia test kit available. Final rinse temperature of dish machine- 186 degrees F, per gauge. Employees were observed wearing plastic gloves and using utensils properly while working on service line. Reviewed inspection with Mary Lewis, Kitchen Manager on 10-5-17.

END of REPORT

[Submit# 331355] COBURN SCHOOL CAFETERIA (ID 265494) Inspection# 1002206130