

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: Country Inn - Breakfast Food Svc (ID: 979550)
Facility Name: COUNTRY INN & SUITES (Big Flats)
Facility Code: 07-4520 Facility Email: None
Facility Address: 105 EAST MALL ROAD HORSEHEADS, NY 14845

To the Attention of:
DEB NEHER CNI THL PROPCO FE, LLC
C/O PILLAR HOTELS & RESORTS, LP 5851 LEGACY CIR, STE 400 (Licensing
PLANO , TX 75024- Owner/Operator Email: licensing@aimhosp.com

Pre-op Inspection
Date: NOV 20, 2017 02:32 PM
Inspector: Zachary Cavaluzzi (zcavaluzzi@co.chemung.ny.us)
Responsible Person: Greg Murrelle
(email:)

Summary
Number of public health hazards found: 0
Number of public health hazards NOT corrected: 0
Number of other violations found: 2

Each item found in violation is reported below along with the code requirement.

POOR SANITARY DESIGN, CONSTRUCTION, INSTALLATION OF EQUIPMENT AND UTENSILS.

ITEM # 10B WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Non-food contact surfaces and equipment are improperly designed, constructed, installed, maintained (equipment not readily accessible for cleaning, surface not smooth finish)

Inspector Findings

Gasket of miniature refrigeration unit on counter in breakfast service area in disrepair. Manager stated a new refrigeration unit has been ordered and will be arriving within the next few weeks.

IMPROPER CONSTRUCTION AND MAINTENANCE OF PHYSICAL FACILITIES.

ITEM # 15A WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Floors, walls, ceilings, not smooth, properly constructed, in disrepair, dirty surfaces

Inspector Findings

Observed cracked floor tile with pieces missing in facility's kitchen area in front of 2 bay sink. Time table of correction (TTOC) given for 11/30/17.

Comments

Preoperational inspection conducted in response to change in ownership. Observed facility's probe thermometer and properly functioning refrigeration units in the kitchen area. Facility utilizes a wide range of cold holding displays that require ice and water mixtures as mandated by corporate. Discussed monitoring temperatures and levels of ice in displays during breakfast to prevent potentially hazardous foods (PHF/TCS) from reaching a temperature greater than 45F.

END of REPORT

[Submit# 345096] Country Inn - Breakfast Food Svc (ID 979550) Inspection# 1002221717