

Chemung County Department of Health  
Environmental Health Services  
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588  
(607) 737 - 2019  
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: DENNY'S RESTAURANT (ID: 910759)  
Facility Name: DENNY'S RESTAURANT  
Facility Code: 01267-01 Facility Email: d8142@feastfoods.net  
Facility Address: 950 CHEMUNG STREET HORSEHEADS, NY 14845

To the Attention of:  
NED KERN FEAST AMERICAN DINERS, LLC  
PO BOX 690  
TEMECULA , CA 92590- Owner/Operator Email: dennys.accounting@beshayenterprises.com

Inspection  
Date: JUN 29, 2017 02:51 PM  
Inspector: Erin Walmsley (ewalmsley@co.chemung.ny.us)  
Responsible Person: John Frisbie  
(email: )

Summary  
Number of public health hazards found: 0  
Number of public health hazards NOT corrected: 0  
Number of other violations found: 4

Each item found in violation is reported below along with the code requirement.

**IMPROPER CLEANING, WASHING AND SANITIZING OF EQUIPMENT AND UTENSILS.**

ITEM # 11D WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Non food contact surfaces of equipment not clean

Inspector Findings

Observed dirty fan covers in walk-in freezer outside. TTOC 7/13/17

**IMPROPER SANITARY FACILITIES AND CONTROLS.**

ITEM # 12C WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Plumbing and sinks not properly sized, installed, maintained; equipment and floors not properly drained

Inspector Findings

Observed leaking faucet at hand wash sink next to dish machine. Time table of correction (TTOC) 7/13/17.

**INADEQUATE INSECT/RODENT CONTROL**

ITEM # 14A WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Insects, rodents present

Inspector Findings

Observed numerous flying insects throughout kitchen and storage room. Interview with manager indicated that Ehrlich was in past week and is scheduled to come back out in near future. Discussed use of sticky traps in non-food storage or prep areas.

**IMPROPER CONSTRUCTION AND MAINTENANCE OF PHYSICAL FACILITIES.**

ITEM # 15A WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Floors, walls, ceilings, not smooth, properly constructed, in disrepair, dirty surfaces

Inspector Findings

Observed dirty surfaces on floor in outside walk-in freezer and under shelving in dry storage room. TTOC 7/13/17

Additional Information Collected During Inspection

Comments

Discussed not over stacking food above indented line on plastic insert in top of make units. Facility to provide CCHD with documentation of cream cheese icing. Per company policy, icing is to be left out at room temperature. Packaging indicates it contains milk but does not say to keep refrigerated.

END of REPORT

[Submit# 298620] DENNY'S RESTAURANT (ID 910759) Inspection# 1002066145