

Chemung County Department of Health  
Environmental Health Services  
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588  
(607) 737 - 2019  
EHS@co.chemung.ny.us

## Food Service Establishment Inspection -- Summary Report

Operation: MERRY-GO-EATERY (ID: 958853)  
Facility Name: ELDRIDGE PARK (seasonal)  
Facility Code: 01149-01 Facility Email: epcpsmanager@gmail.com  
Facility Address: 96 ELDRIDGE PARK DRIVE ELMIRA, NY 14901

To the Attention of:  
MICHAEL ROBERTSON ELDRIDGE PARK CAROUSEL PRESERV. SOC, INC  
PO BOX 3056  
ELMIRA , NY 14905- Owner/Operator Email: epcpsmanager@gmail.com

Pre-op Inspection  
Date: MAY 24, 2017 11:06 AM  
Inspector: Zachary Cavaluzzi (zcavaluzzi@co.chemung.ny.us)  
Responsible Person: Michael Robertson  
(email: )

Summary  
Number of public health hazards found: 0  
Number of public health hazards NOT corrected: 0  
Number of other violations found: 0

Each item found in violation is reported below along with the code requirement.

NO VIOLATIONS WERE OBSERVED.

### Code Requirements

### Inspector Findings

### Additional Information Collected During Inspection

### Comments

Observed facility's probe thermometer. Observed running hot and cold water. During preoperational inspection, observed facility's pre-rinse faucet on a spring below rim of 3 bay sink. Faucet on spring has been bent down lower than designed due to cabinets above dish washing station. Faucet head has ring on it that can attached to a hook to keep faucet head above rim of 3 bay sink. Discussed installation of a hose bib for pre-rinse faucet on a spring as additional precaution to prevent possible cross connection with public water supply.

END of REPORT

[Submit# 288428] MERRY-GO-EATERY (ID 958853) Inspection# 1001969921