

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: ELMIRA COUNTRY CLUB - Halfway House (ID: 265737)
Facility Name: ELMIRA COUNTRY CLUB
Facility Code: 00092-01 Facility Email: None
Facility Address: 1538 WEST CHURCH STREET ELMIRA, NY 14905

To the Attention of:
JOE NORMAN ELMIRA COUNTRY CLUB, INC.
1538 W. CHURCH ST.
ELMIRA , NY 14905- Owner/Operator Email: pganorm1@aol.com

Inspection
Date: JUL 19, 2017 03:12 PM
Inspector: Erin Walmsley (ewalmsley@co.chemung.ny.us)
Responsible Person: emailed to operator
(email:)

Summary
Number of public health hazards found: 1
Number of public health hazards NOT corrected: 0
Number of other violations found: 0

Each item found in violation is reported below along with the code requirement.

IMPROPER HOT HOLDING OF POTENTIALLY HAZARDOUS FOODS.

ITEM # 6A WAS FOUND IN VIOLATION 1 TIME(S). CRITICAL VIOLATION

All or parts of the violation item are IN violation.

Code Requirements

Potentially hazardous foods are not kept at or above 140oF during hot holding.

Inspector Findings

Observed ~1/2 lb of meat sauce in steam table in metal insert with lid at temperature of 108dF. Temperature of water in bottom of unit temped at ~157dF. Interview indicated that meat sauce had been in unit for ~1 hour. Staff contacted main kitchen and cook voluntarily discarded. Discussed options for heating meat sauce in facility. CORRECTED

Additional Information Collected During Inspection

Comments

Temperature of hot dogs on roller 158dF. Observed accurate probe thermometer.

END of REPORT

[Submit# 306394] ELMIRA COUNTRY CLUB - Halfway House (ID 265737) Inspection# 1002107333