

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: MACKENZIE'S PUB (Elmira College) (ID: 967401)
Facility Name: ELMIRA COLLEGE CAMPUS CENTER
Facility Code: 00082-10 Facility Email: None
Facility Address: ONE PARK PLACE ELMIRA, NY 14901

To the Attention of:
TONY WILLIAMS EAT'N PARK HOSPITALITY GROUP, INC.
ATTN: PERMITS/LICENSES 285 E. WATERFRONT DR.
HOMESTEAD , PA 15120- Owner/Operator Email: twilliams@parkhurstdining.com

Pre-op Inspection
Date: SEP 07, 2017 02:45 PM
Inspector: Michael Cain (mcain@co.chemung.ny.us)
Responsible Person: A copy of pre-operational inspection report was sent via e-mail to Operator on 9-7-17.
(email:)

Summary
Number of public health hazards found: 0
Number of public health hazards NOT corrected: 0
Number of other violations found: 3

Each item found in violation is reported below along with the code requirement.

IMPROPER SANITARY FACILITIES AND CONTROLS.

ITEM # 12C WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Plumbing and sinks not properly sized, installed, maintained; equipment and floors not properly drained

Inspector Findings

Wastewater drain line under kitchen 3-bay sink found leaking on floor.

ITEM # 12E WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Handwashing facilities inaccessible, improperly located, dirty, in disrepair, improper fixtures, soap, and single service towels or hand drying devices missing

Inspector Findings

No hand towels available at employee hand wash sink in kitchen (dispenser is empty).

MISCELLANEOUS, ECONOMIC VIOLATION, CHOKING POSTER, TRAINING.

ITEM # 16 WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Miscellaneous, Economic Violation, Choking Poster, Training.

Inspector Findings

Operating permit was not visible to patrons.

Additional Information Collected During Inspection

Comments

Conducted a pre-operational inspection of facility which is not open during daytime hours (Opens at 8:00 PM). Was accompanied by Toby Hilbert, Exec. Chef during pre-op. inspection. All equipment used to store cold potentially hazardous (TCS) have monitoring thermometers available, were maintained at less than 45 degrees F. A Time Table Of Compliance Date of September 21, 2017 has been established to correct the violations listed above. A re-inspection will be conducted after this date to determine compliance.

END of REPORT

[Submit# 324297] MACKENZIE'S PUB (Elmira College) (ID 967401) Inspection# 1002197297