

Chemung County Department of Health  
Environmental Health Services  
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588  
(607) 737 - 2019  
EHS@co.chemung.ny.us

Institutional Food Service Inspection -- Summary Report

Operation: ELMIRA HIGH SCHOOL CAFETERIA (ID: 265500)  
Facility Name: ELMIRA HIGH SCHOOL CAFETERIA  
Facility Code: 00091-09 Facility Email: None  
Facility Address: 777 SOUTH MAIN STREET ELMIRA, NY 14904

To the Attention of:  
KARI CROUSE ELMIRA CITY SCHOOL DISTRICT  
C/O - ELMIRA H.S. (Attn: K. CROUSE) 777 S. MAIN ST.  
ELMIRA , NY 14904- Owner/Operator Email: kcrouse@gstboces.org

Inspection

Date: OCT 17, 2017 11:45 AM  
Inspector: Erin Walmsley (ewalmsley@co.chemung.ny.us)  
Responsible Person: Carol Ransom  
(email: )

Summary

Number of public health hazards found: 0  
Number of public health hazards NOT corrected: 0  
Number of other violations found: 0

Each item found in violation is reported below along with the code requirement.

NO VIOLATIONS WERE OBSERVED.

Code Requirements

Inspector Findings

Additional Information Collected During Inspection

Comments

No violations observed during inspection. Recommend facility to put individual cups of taco cheese on service line in amounts that would be served in 15-20 minutes time period. Chicken patties in hot holding box had a temperature of 150 F. Rice, refried beans, and meat in steam table all had temperatures of 165 F, 140 F, and 158 F respectively. Hard boiled eggs served with salad are non-potentially hazardous because eggs are air dried after boiling. Facility has accurate probe thermometers. Facility has appropriate test strips for measuring quaternary ammonia (obtained 200ppm) in sanitization solution in wiping cloth buckets. Observed staff wearing gloves while prepping ready to eat food items.

END of REPORT

[Submit# 333578] ELMIRA HIGH SCHOOL CAFETERIA (ID 265500) Inspection# 1002209510