

Chemung County Department of Health  
Environmental Health Services  
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588  
(607) 737 - 2019  
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: THE FAIR SHAKE (ID: 265218)  
Facility Name: FAIR SHAKE (Seasonal)  
Facility Code: 00440-01 Facility Email: None  
Facility Address: 1509 PENNSYLVANIA AVENUE PINE CITY, NY 14871

To the Attention of:  
SANDRA STERLING  
THE FAIR SHAKE 1509 PENNSYLVANIA AVE.  
PINE CITY , NY 14871- Owner/Operator Email: rsterling@stny.rr.com

Pre-op Inspection  
Date: MAR 14, 2017 03:39 PM  
Inspector: Jonathan Keough (jkeough@co.chemung.ny.us)  
Responsible Person: discussed with S. Sterling  
(email: )

Summary  
Number of public health hazards found: 0  
Number of public health hazards NOT corrected: 0  
Number of other violations found: 0

Each item found in violation is reported below along with the code requirement.

NO VIOLATIONS WERE OBSERVED.

Code Requirements

Inspector Findings

Additional Information Collected During Inspection

Comments

Pre-seasonal phone conference conducted with operator. Discussed ill food worker policies, prevention of barehand contact with ready to eat foods, handwashing. Advised operator submit water sample in near future as negative results are required for issuing permit. Per operator, no changes in menu for 2017, facility has or will have prior to opening: probe thermometer-both present at facility, hot & cold water, sanitizer (quat for cloths and bleach for dishes) and sanitizer strength test strips, soap, single-use towels, gloves, napkins and/or other barriers to barehand contact. Discussed heating and hot-holding of meat sauce for hot dogs, discarding any leftovers. Per operator, issue with walk-in from 2016 season has been fixed. Operator requested to be notified when food service permit has been issued. An unannounced inspection to be conducted after facility opens.

END of REPORT

[Submit# 273013] THE FAIR SHAKE (ID 265218) Inspection# 1001948971