

Chemung County Department of Health  
Environmental Health Services  
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588  
(607) 737 - 2019  
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: FAMILY WOK (ID: 592221)  
Facility Name: FAMILY WOK  
Facility Code: 00927-01 Facility Email: None  
Facility Address: 1600 CEDAR ST., SOUTHTOWN PLAZA ELMIRA, NY 14904

To the Attention of:  
XIU YUN TANG  
DBA - FAMILY WOK 1600 CEDAR ST.  
ELMIRA , NY 14904- Owner/Operator Email: xiuyuntang888@gmail.com

Inspection  
Date: JAN 26, 2017 02:50 PM  
Inspector: Jonathan Keough (jkeough@co.chemung.ny.us)  
Responsible Person: Xui Yan Tang  
(email: )

Summary  
Number of public health hazards found: 0  
Number of public health hazards NOT corrected: 0  
Number of other violations found: 6

Each item found in violation is reported below along with the code requirement.

**FOOD NOT PROTECTED IN GENERAL**

**ITEM # 8A WAS FOUND IN VIOLATION 1 TIME(S).**

All or parts of the violation item are IN violation.

Code Requirements

Food not protected during storage, preparation, display, transportation and service, from potential sources of contamination (e.g., food uncovered, mislabeled, stored on floor, missing or inadequate sneeze guards, food containers double stacked)

Inspector Findings

Single-use plastic pint container as utensil is re-used for removing cooked and ready to eat steamed rice from warmer. Advised use of spoon or other type of utensil that is not subject to contact with hands. Advised storing of spoon or other utensil on clean and dry surface and wash rinse and sanitize at least every four hours.

**IMPROPER SANITARY FACILITIES AND CONTROLS.**

**ITEM # 12E WAS FOUND IN VIOLATION 3 TIME(S).**

All or parts of the violation item are IN violation.

Code Requirements

Handwashing facilities inaccessible, improperly located, dirty, in disrepair, improper fixtures, soap, and single service towels or hand drying devices missing

Inspector Findings

1. Hand washing sink in men's toilet room lacks soap and single use towels for drying hands. Corrected during inspection. 2. Women's toilet room lacks single-use towels for drying hands. 3. Faucet handles in women's room are reversed (hot water on right side, cold on left) and are not labeled. Recommended installing sign or other type of label for clarification.

## IMPROPER CONSTRUCTION AND MAINTENANCE OF PHYSICAL FACILITIES.

ITEM # 15A WAS FOUND IN VIOLATION 2 TIME(S).

All or parts of the violation item are IN violation.

### Code Requirements

Floors, walls, ceilings, not smooth, properly constructed, in disrepair, dirty surfaces

### Inspector Findings

1. Floor under and around fryers, woks, island hot and cold-holding units not clean. Some accumulation of food debris and grease was observed. Due to utilities and storage shelving, items are difficult to move.
2. Small section, approximately 6-8 inches diameter, of floor in walk-in refrigerator in disrepair. A timetable of 8 weeks (3/23/2017) was established for correction of both violations above.

---

### Additional Information Collected During Inspection

### Comments

Discussed limited preparation times at room temperature of less than 15 minutes for raw (or cooked) potentially hazardous foods to include mixing and marinating of raw chicken or pork, portioning and reheating of egg rolls, sweet and sour chicken, etc.

---

END of REPORT

[Submit# 263341] FAMILY WOK (ID 592221) Inspection# 1001934984