

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: FERGIE'S 19th HOLE (ID: 821388)
Facility Name: FERGIE'S 19th HOLE
Facility Code: 01133-01 Facility Email: None
Facility Address: 1892 GRAND CENTRAL AVENUE HORSEHEADS, NY 14845

To the Attention of:
JUDY CHAPPELL JJ VENTURE, LLC
DBA - FERGIE'S 19th HOLE 1892 GRAND CENTRAL AVE
HORSEHEADS , NY 14845- Owner/Operator Email: fergies19thhole@outlook.com

Inspection
Date: JUL 27, 2017 03:16 PM
Inspector: Erin Walmsley (ewalmsley@co.chemung.ny.us)
Responsible Person: J. Man
(email:)

Summary
Number of public health hazards found: 0
Number of public health hazards NOT corrected: 0
Number of other violations found: 2

Each item found in violation is reported below along with the code requirement.

IMPROPER SANITARY FACILITIES AND CONTROLS.

ITEM # 12C WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Plumbing and sinks not properly sized, installed, maintained; equipment and floors not properly drained

Inspector Findings

Observed soda waste lines draining into ice bin. Drink ice is stored in bin. Discussed temporarily draining waste lines into a bucket until able to connect into plumbing. Lines were removed and bin was wash, rinsed and sanitized. Time table of correction 8/10/17.

ITEM # 12D WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Toilet facilities inadequate, inconvenient, dirty, in disrepair, toilet paper missing, not self-closing doors, missing hand wash signs

Inspector Findings

Observed mens and womens restroom door propped open during inspection. Discussed that doors are to be closed during hours of operation. Both doors were closed. CORRECTED.

Additional Information Collected During Inspection

Comments

Observed accurate probe thermometer. Temperature of chicken in walk-in cooler temped at 32dF. Discussed storage of time and temperature control for safety (TCS/PHF) food in walk-in cooler and refrigerator.

END of REPORT