

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: GIUSEPPE'S PIZZERIA (ID: 661655)
Facility Name: GIUSEPPE'S PIZZERIA
Facility Code: 00942-01 Facility Email: brugg2063@gmail.com
Facility Address: 1020 CENTER STREET HORSEHEADS, NY 14845

To the Attention of:
GAETANO RUGGIERO RGS GIUSEPPES, LLC.
DBA - GIUSEPPE'S PIZZERIA 1020 CENTER ST., SUITE 22
HORSEHEADS , NY 14845- Owner/Operator Email: guyrugg@yahoo.com

Inspection
Date: APR 13, 2017 02:26 PM
Inspector: Erin Walmsley (ewalmsley@co.chemung.ny.us)
Responsible Person: Guy Ruggiero
(email:)

Summary
Number of public health hazards found: 0
Number of public health hazards NOT corrected: 0
Number of other violations found: 4

Each item found in violation is reported below along with the code requirement.

FOOD NOT PROTECTED IN GENERAL

ITEM # 8B WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

In use food dispensing utensils improperly stored

Inspector Findings

Observed ice scoop stored so that handle was in direct contact with drink ice at wait-staff station. Staff removed scoop from ice with gloved hand.
CORRECTED

ITEM # 8E WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Accurate thermometers not available or used to evaluate refrigerated or heated storage temperatures

Inspector Findings

Thermometers lacking in several cold holding units throughout facility (drawers across from cook line, tall and short pepsi coolers in kitchen). Time table of correction 4/27/17

IMPROPER SANITARY FACILITIES AND CONTROLS.

ITEM # 12E WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Handwashing facilities inaccessible, improperly located, dirty, in disrepair, improper fixtures, soap, and single service towels or hand drying devices missing

Inspector Findings

Paper towels lacking at hand wash sink in rear, bakery prep room. Staff refilled dispenser during inspection. CORRECTED.

IMPROPER CONSTRUCTION AND MAINTENANCE OF PHYSICAL FACILITIES.

ITEM # 15A WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Floors, walls, ceilings, not smooth, properly constructed, in disrepair, dirty surfaces

Inspector Findings

Observed dirty surfaces on ceiling of delivery walk-in cooler. Time table of correction 4/27/17.

Additional Information Collected During Inspection

Comments

Observed accurate probe thermometer. Observed wiping cloth with sanitizer level of 100ppm stored on prep counter across from salad cold holding make unit. Observed breaded chicken being cooled in a single layer on sheet tray on speed rack in prep walk-in cooler. Observed wavier conditions being used for pizza. Discussed hand washing, glove use and ill food worker policy.

END of REPORT

[Submit# 279665] GIUSEPPE'S PIZZERIA (ID 661655) Inspection# 1001959001