

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: HARRY'S INN THE HEIGHTS (ID: 506718)
Facility Name: HARRY'S INN THE HEIGHTS
Facility Code: 00757-01 Facility Email: None
Facility Address: 308-310 EAST FOURTEENTH STREET ELMIRA HEIGHTS, NY 14903

To the Attention of:
ROBERT CANNAVINO HARRY'S INN THE HEIGHTS, LLC
ATTN: ROBERT CANNAVINO 308-310 E. 14th ST
ELMIRA HEIGHTS , NY 14903- Owner/Operator Email: rcan11@yahoo.com

Inspection
Date: OCT 19, 2017 03:03 PM
Inspector: Zachary Brueckman (zbrueckman@co.chemung.ny.us)
Responsible Person: Rob Cannavino
(email:)

Summary
Number of public health hazards found: 0
Number of public health hazards NOT corrected: 0
Number of other violations found: 3

Each item found in violation is reported below along with the code requirement.

IMPROPER SANITARY FACILITIES AND CONTROLS.

ITEM # 12D WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Toilet facilities inadequate, inconvenient, dirty, in disrepair, toilet paper missing, not self-closing doors, missing hand wash signs

Inspector Findings

Women's room door is not self closing.

IMPROPER CONSTRUCTION AND MAINTENANCE OF PHYSICAL FACILITIES.

ITEM # 15A WAS FOUND IN VIOLATION 2 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Floors, walls, ceilings, not smooth, properly constructed, in disrepair, dirty surfaces

Inspector Findings

1. Bare wood shelves in beer walk-in cooler are not smooth or easily cleanable. 2. Paint is peeling from kitchen floor, making it not smooth or easily cleanable.

Comments

Temperatures of all food in top of make unit located in kitchen were 44-46 F, while in the bottom storage are of make unit temperature were 43-45 F. Recommended keeping refrigeration at 37-39 F. Also, sanitarian recommended closing the lid of make unit when not actively preparing, because of the close proximity of grill to unit. Time table of correction for all listed violations is set for 1/19/18.

END of REPORT

[Submit# 334450] HARRY'S INN THE HEIGHTS (ID 506718) Inspection# 1002210462