

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Institutional Food Service Inspection -- Summary Report

Operation: HENDY AVENUE SCHOOL (ID: 265497)
Facility Name: HENDY AVENUE SCHOOL
Facility Code: 00233-09 Facility Email: None
Facility Address: 110 HENDY AVENUE ELMIRA, NY 14905

To the Attention of:
KARI CROUSE ELMIRA CITY SCHOOL DISTRICT
C/O - ELMIRA H.S. (Attn: K. CROUSE) 777 S. MAIN ST.
ELMIRA , NY 14904- Owner/Operator Email: kcrouse@gstboces.org

Inspection

Date: NOV 06, 2017 10:57 AM
Inspector: Erin Walmsley (ewalmsley@co.chemung.ny.us)
Responsible Person: Samantha Stone
(email:)

Summary

Number of public health hazards found: 0
Number of public health hazards NOT corrected: 0
Number of other violations found: 0

Each item found in violation is reported below along with the code requirement.

NO VIOLATIONS WERE OBSERVED.

Code Requirements

Inspector Findings

Additional Information Collected During Inspection

Comments

No violations observed during inspection. Observed temperature of sliced melons at 45dF in cold holding unit on service line. Discussed only removing quantities from refrigeration as needed for each lunch period. Observed temperature of chicken nuggets in hot holding at temperature of 167dF behind service line in cabinet and 158dF on service line. Observed digital thermometer and temperature log in kitchen. Observed sanitizer (Quaternary Ammonia) at levels of 200ppm in sanitizer wiping cloth buckets throughout facility. Observed final rinse temperature on dish machine at 185dF.

END of REPORT

[Submit# 339245] HENDY AVENUE SCHOOL (ID 265497) Inspection# 1002215753