

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: HONEY B'S CAFE (ID: 952159)
Facility Name: HONEY B'S CAFE
Facility Code: 01271-01 Facility Email: None
Facility Address: 2887 WESTINGHOUSE ROAD HORSEHEADS, NY 14845

To the Attention of:
WINIFRED BENNETT HONEY B'S CAFE
2887 WESTINGHOUSE ROAD
HORSEHEADS , NY 14845- Owner/Operator Email: None

Pre-op Inspection
Date: MAR 02, 2017 02:52 PM
Inspector: Erin Walmsley (ewalmsley@co.chemung.ny.us)
Responsible Person: Winifred Bennett
(email:)

Summary
Number of public health hazards found: 0
Number of public health hazards NOT corrected: 0
Number of other violations found: 1

Each item found in violation is reported below along with the code requirement.

IMPROPER SANITARY FACILITIES AND CONTROLS.

ITEM # 12D WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Toilet facilities inadequate, inconvenient, dirty, in disrepair, toilet paper missing, not self-closing doors, missing hand wash signs

Inspector Findings

Women's restroom door had hardware installed to make it self closing. Hinge closes door but not tightly. Interview with operator indicated that she would install a different type of hinge. Time table of correction 3/10/17.

Additional Information Collected During Inspection

Comments

Mens restroom door had hardware installed from previous visit and is tightly self closing.

END of REPORT

[Submit# 271006] HONEY B'S CAFE (ID 952159) Inspection# 1001946666