

Chemung County Department of Health  
Environmental Health Services  
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588  
(607) 737 - 2019  
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: KING'S TAVERN (ID: 786031)  
Facility Name: KING'S TAVERN  
Facility Code: 01102-01 Facility Email: None  
Facility Address: 153 WEST WASHINGTON AVENUE ELMIRA, NY 14901

To the Attention of:  
LESLIE BAKER KING'S TAVERN, INC.  
c/o - LESLIE BAKER 2228 GRAND CENTRAL AVE.  
HORSEHEADS , NY 14845- Owner/Operator Email: kingstaverninc@yahoo.com

Pre-op Inspection  
Date: NOV 17, 2017 02:36 PM  
Inspector: Zachary Brueckman (zbrueckman@co.chemung.ny.us)  
Responsible Person: Leslie Baker  
(email: )

Summary  
Number of public health hazards found: 0  
Number of public health hazards NOT corrected: 0  
Number of other violations found: 1

Each item found in violation is reported below along with the code requirement.

**IMPROPER SANITARY FACILITIES AND CONTROLS.**

ITEM # 12D WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Toilet facilities inadequate, inconvenient, dirty, in disrepair, toilet paper missing, not self-closing doors, missing hand wash signs

Inspector Findings

Garbage in women's bathroom is lacking covered receptacle.

Additional Information Collected During Inspection

Comments

Facility has accurate probe thermometer. Facility uses quaternary ammonia to use in sanitizer solution, facility also has appropriate test strips. Discussed ill worker policy. Time table of correction for violations is set for 12/1/17.

END of REPORT

[Submit# 342290] KING'S TAVERN (ID 786031) Inspection# 1002218502