

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Institutional Food Service Inspection -- Summary Report

Operation: THE MASTER'S VINEYARD MISSION ACADEMY (ID: 961044)
Facility Name: MASTER'S VINEYARD MISSION ACADEMY
Facility Code: 01299-09 Facility Email: None
Facility Address: 559 SPAULDING STREET ELMIRA, NY 14904

To the Attention of:
CHRISTINA SMITH SOUTH EAST REGION FOR CHRISTIAN EDUCATION
DBA - THE MASTER'S VINYARD ACADEMY 559 SPAULDING ST.
ELMIRA , NY 14904- Owner/Operator Email: truevine10@yahoo.com

Inspection

Date: SEP 13, 2017 10:45 AM
Inspector: Michael Cain (mcain@co.chemung.ny.us)
Responsible Person: Ruby Adams, Kit. Manager
(email:)

Summary

Number of public health hazards found: 0
Number of public health hazards NOT corrected: 0
Number of other violations found: 2

Each item found in violation is reported below along with the code requirement.

IMPROPER SANITARY FACILITIES AND CONTROLS.

ITEM # 12D WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Toilet facilities inadequate, inconvenient, dirty, in disrepair, toilet paper missing, not self-closing doors, missing hand wash signs

Inspector Findings

Woman's rest room door is not self-closing (Men's rest room door is self-closing).

ITEM # 12E WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Handwashing facilities inaccessible, improperly located, dirty, in disrepair, improper fixtures, soap, and single service towels or hand drying devices missing

Inspector Findings

No hand towels available in rest rooms- Corrected.

Additional Information Collected During Inspection

Comments

Discussed hot-holding temperatures with kitchen staff during inspection. Also discussed routine hand washing and proper use of plastic gloves with kitchen staff during inspection(Kitchen employee was observed properly using plastic gloves and utensils during inspection). A Time Table Of Compliance Date of September 29, 2017 has been established to correct violations listed above. A re-inspection will be conducted on or after this date to determine compliance.

END of REPORT

[Submit# 325563] THE MASTER'S VINEYARD MISSION ACADEMY (ID 961044) Inspection#

1002198885