

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: McDONALD'S #2425 (SOUTHPORT) (ID: 862159)
Facility Name: McDONALD'S - SOUTHPORT #2425
Facility Code: 01198-01 Facility Email: None
Facility Address: 1600 CEDAR STREET ELMIRA, NY 14904

To the Attention of:
COURTNEY FEEHAN CAYUGA SOUTHPORT, LLC
PO BOX 4057
ITHACA , NY 14852- Owner/Operator Email: courtneyfeehan@yahoo.com

Re-Inspection
Date: NOV 09, 2017 09:24 AM
Inspector: Zachary Brueckman (zbrueckman@co.chemung.ny.us)
Responsible Person: Melissa Bryant
(email:)

Summary
Number of public health hazards found: 0
Number of public health hazards NOT corrected: 0
Number of other violations found: 0

Each item found in violation is reported below along with the code requirement.

NO VIOLATIONS WERE OBSERVED.

Code Requirements

Inspector Findings

Additional Information Collected During Inspection

Comments

Following violations were corrected at time of re-inspection: 5E chicken tender cooler was running at 38 F, 10B Outside surfaces of ice storage bin at drive through service area were cleaned, 11B Wiping cloths stored in sanitizing solution of quaternary ammonia were at a level of 200ppm, 12C Waste line for soda mix machine terminates at floor drain, 15C-floor tiles at "crew room" and around soda mix machine were repaired. Discussed continued maintenance of floor with Bill, McDonald's maintenance crew.

END of REPORT

[Submit# 340514] McDONALD'S #2425 (SOUTHPORT) (ID 862159) Inspection# 1002216887