

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: MIMI'S LOUNGE (ID: 465546)
Facility Name: MIMI'S LOUNGE
Facility Code: 00689-01 Facility Email: None
Facility Address: 924 SULLIVAN STREET ELMIRA, NY 14901

To the Attention of:
MARY SIMPSON
MIMI'S LOUNGE 924 SULLIVAN ST.
ELMIRA , NY 14901- Owner/Operator Email: mimisimp1@yahoo.com

Inspection
Date: AUG 16, 2017 02:00 PM
Inspector: Michael Cain (mcain@co.chemung.ny.us)
Responsible Person: Gwen Sabatini, Bartender
(email:)

Summary
Number of public health hazards found: 0
Number of public health hazards NOT corrected: 0
Number of other violations found: 1

Each item found in violation is reported below along with the code requirement.

IMPROPER SANITARY FACILITIES AND CONTROLS.

ITEM # 12C WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Plumbing and sinks not properly sized, installed, maintained; equipment and floors not properly drained

Inspector Findings

In basement area, wastewater drain line below in-direct drain is leaking into plastic trash can.

Additional Information Collected During Inspection

Comments

Monitoring thermometers available inside refrigerated equipment used to store cold potentially hazardous (TCS) foods. Sanitizer test kit available at bar sink. A Time Table Of Compliance Date of August 30, 2017 has been established to correct violations listed above. A re-inspection will be conducted after this date to determine compliance.

END of REPORT

[Submit# 317661] MIMI'S LOUNGE (ID 465546) Inspection# 1002159897