

Chemung County Department of Health  
Environmental Health Services  
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588  
(607) 737 - 2019  
EHS@co.chemung.ny.us

## Food Service Establishment Inspection -- Summary Report

Operation: M & M RED HOTS (ID: 959998)  
Facility Name: M & M RED HOTS  
Facility Code: 00190-01 Facility Email: None  
Facility Address: 212 BALDWIN STREET ELMIRA, NY 14901

To the Attention of:  
ANDREW SEYMOUR  
DBA - M & M RED HOTS 212 BALDWIN ST.  
ELMIRA , NY 14901- Owner/Operator Email: mapleview1543@gmail.com

Pre-op Inspection  
Date: JUN 02, 2017 10:00 AM  
Inspector: Michael Cain (mcain@co.chemung.ny.us)  
Responsible Person: Andy Seymour, Operator  
(email: )

Summary  
Number of public health hazards found: 0  
Number of public health hazards NOT corrected: 0  
Number of other violations found: 1  
Reinspection is required.

Each item found in violation is reported below along with the code requirement.

### IMPROPER SANITARY FACILITIES AND CONTROLS.

ITEM # 12C WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Plumbing and sinks not properly sized, installed, maintained; equipment and floors not properly drained

Inspector Findings

No Mop sink available at facility- A Time Table of Compliance Date of July 5, 2017 has been established to install mop sink.

Additional Information Collected During Inspection

Comments

Operator has previously submitted food service application, fee, worker's comp./disability information to Health Dept. Provided new choking poster to Operator and reviewed food handler's quiz with Operator.

END of REPORT

[Submit# 289971] M & M RED HOTS (ID 959998) Inspection# 1001971789