

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: M & M RED HOTS (ID: 959998)
Facility Name: M & M RED HOTS
Facility Code: 00190-01 Facility Email: None
Facility Address: 212 BALDWIN STREET ELMIRA, NY 14901

To the Attention of:
ANDREW SEYMOUR
DBA - M & M RED HOTS 212 BALDWIN ST.
ELMIRA , NY 14901- Owner/Operator Email: mapleview1543@gmail.com

Inspection
Date: JUN 12, 2017 01:30 PM
Inspector: Michael Cain (mcain@co.chemung.ny.us)
Responsible Person: Andy Seymour, Operator
(email:)

Summary
Number of public health hazards found: 0
Number of public health hazards NOT corrected: 0
Number of other violations found: 0

Each item found in violation is reported below along with the code requirement.

NO VIOLATIONS WERE OBSERVED.

Code Requirements

Inspector Findings

Additional Information Collected During Inspection

Comments

Regarding previous TTOC which was listed during pre-operational inspection, Operator has installed new mop sink with hot and cold water in rear kitchen area. Sanitizer was checked at dish machine and wiping cloth solution- acceptable, greater than 100 ppm.. Discussed routine hand washing and proper use of plastic gloves with Operator during inspection- staff were observed properly using plastic gloves and utensils during inspection. Will conduct a HACCP training exercise with Operator later in the year.

END of REPORT

[Submit# 292465] M & M RED HOTS (ID 959998) Inspection# 1001998607