

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: PAESANO'S PIZZA & SUBS (ID: 750489)
Facility Name: PAESANO'S PIZZA & SUBS
Facility Code: 01063-01 Facility Email: None
Facility Address: 600 PENNSYLVANIA AVENUE ELMIRA, NY 14904

To the Attention of:
JAMES CLEARY
2030 S. GENESEE ST
MONTOUR FALLS , NY 14865- Owner/Operator Email: paesanospizzaandsubs@gmail.com

Re-Inspection
Date: FEB 24, 2017 11:20 AM
Inspector: Jonathan Keough (jkeough@co.chemung.ny.us)
Responsible Person: Shane Harding
(email:)

Summary
Number of public health hazards found: 0
Number of public health hazards NOT corrected: 0
Number of other violations found: 3

Each item found in violation is reported below along with the code requirement.

IMPROPER CLEANING, WASHING AND SANITIZING OF EQUIPMENT AND UTENSILS.

ITEM # 11D WAS FOUND IN VIOLATION 2 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Non food contact surfaces of equipment not clean

Inspector Findings

1. Door and door gaskets to walk-in refrigerator not clean. 2. Exterior surfaces of white plastic containers used to hold pizza dough are not clean.

IMPROPER CONSTRUCTION AND MAINTENANCE OF PHYSICAL FACILITIES.

ITEM # 15A WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Floors, walls, ceilings, not smooth, properly constructed, in disrepair, dirty surfaces

Inspector Findings

Flooring around fryer, near freezers, under equipment, near rear door are not clean. Wall behind fryer not clean.

Additional Information Collected During Inspection

Comments

Violations 11A and 11D were corrected--sanitizer (bleach) and sanitizer test strips (for bleach) were obtained. Also, no employee food items observed stored on sandwich board. A timetable for correction for violations 11D and 15A by 3/3/2017 was established during previous inspection.

END of REPORT