

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: RITA'S WATER ICE (ID: 675368)
Facility Name: RITA'S WATER ICE
Facility Code: 00950-01 Facility Email: None
Facility Address: 2614 CORNING ROAD HORSEHEADS, NY 14845

To the Attention of:
MARK EARLEY M EARLEY, LLC
DBA - RITA'S WATER ICE 2614 CORNING RD.
HORSEHEADS , NY 14845- Owner/Operator Email: horseheadsritas@aol.com

Inspection
Date: JUN 29, 2017 03:19 PM
Inspector: Erin Walmsley (ewalmsley@co.chemung.ny.us)
Responsible Person: Mark Earley
(email:)

Summary
Number of public health hazards found: 0
Number of public health hazards NOT corrected: 0
Number of other violations found: 4

Each item found in violation is reported below along with the code requirement.

FOOD NOT PROTECTED IN GENERAL

ITEM # 8D WAS FOUND IN VIOLATION 1 TIME(S).
All or parts of the violation item are IN violation.
Code Requirements
Single service items reused, improperly stored, dispensed, not used when required

Inspector Findings
Observed boxes of single service cups stored on floor in back storage room. Time table of correction (TTOC) 7/6/17

IMPROPER CLEANING, WASHING AND SANITIZING OF EQUIPMENT AND UTENSILS.

ITEM # 11B WAS FOUND IN VIOLATION 1 TIME(S).
All or parts of the violation item are IN violation.
Code Requirements
Wiping cloths dirty, not stored properly in sanitizing solutions

Inspector Findings
Observed wiping cloths with sanitizing solution at less than 50 ppm on counter. Wiping cloth solution in bucket observed at 50 ppm. Facility uses wiping cloth, rinses them with water, dips them into sanitizing solution and sets them on the counter for next use. Operator made a new sanitizing solution.
CORRECTED

IMPROPER SANITARY FACILITIES AND CONTROLS.

ITEM # 12D WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Toilet facilities inadequate, inconvenient, dirty, in disrepair, toilet paper missing, not self-closing doors, missing hand wash signs

Inspector Findings

Observed employee restroom door open during inspection. Closed during inspection. CORRECTED

ITEM # 12E WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Handwashing facilities inaccessible, improperly located, dirty, in disrepair, improper fixtures, soap, and single service towels or hand drying devices missing

Inspector Findings

Observed box stored on hand wash sink across from 3 bay sink so that sink was no longer accessible. Box relocated. CORRECTED

Additional Information Collected During Inspection

Comments

END of REPORT

[Submit# 298624] RITA'S WATER ICE (ID 675368) Inspection# 1002066144