

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

SED Summer Feeding Prog. Inspection -- Summary Report

Operation: ELMER GOODWIN PARK SUMMER FEEDING SITE (ID: 737463)

Facility Name: ELMER GOODWIN PARK Summer Feeding

Facility Code: 01046-09 Facility Email: None

Facility Address: ROBERT STREET ELMIRA, NY 14904

To the Attention of:

KARI CROUSE ELMIRA CITY SCHOOL DISTRICT

C/O - ELMIRA H.S. (Attn: K. CROUSE) 777 S. MAIN ST.

ELMIRA , NY 14904-

Owner/Operator Email: kcrouse@gstbooces.org

Inspection

Date: JUL 06, 2017 11:22 AM

Inspector: Zachary Brueckman (zbrueckman@co.chemung.ny.us)

Responsible Person: Jaylun Smolin

(email:)

Summary

Number of public health hazards found: 1

Number of public health hazards NOT corrected: 0

Number of other violations found: 0

Each item found in violation is reported below along with the code requirement.

IMPROPER COOLING AND REFRIGERATED STORAGE OF POTENTIALLY HAZARDOUS FOODS.

ITEM # 5A WAS FOUND IN VIOLATION 1 TIME(S). PUBLIC HEALTH HAZARD

All or parts of the violation item are IN violation.

Code Requirements

Potentially hazardous foods are not kept at or below 45oF during cold holding, except smoked fish not kept at or below 38oF during cold holding.

Inspector Findings

Bagged lunches arrived at summer feeding site with milk temperature of 51F. Both sanitarian thermocouple and summer feeding digital thermometer were used to evaluate temperature of milk. Site supervisor called facility requesting new lunches. New lunches lunches were delivered and previous lunches were returned to the preparation site (Elmira High School). Temperature of milk in new lunches was 42F according to digital probe thermometer and sanitarian thermocouple. (CORRECTED)

Additional Information Collected During Inspection

Comments

Feeding site had accurate digital thermometer, and provided table cloths at tables where food was being served and eaten. Accurate temperature logs were observed, including milk at 52F for lunches served 7-6-17.

END of REPORT

[Submit# 300107] ELMER GOODWIN PARK SUMMER FEEDING SITE (ID 737463) Inspection#

1002068490