

Chemung County Department of Health  
Environmental Health Services  
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588  
(607) 737 - 2019  
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: SOUTHSIDE SUB SHOP (ELMIRA) (ID: 265299)  
Facility Name: SOUTHSIDE SUB SHOP  
Facility Code: 00347-01 Facility Email: None  
Facility Address: 374 SOUTH MAIN STREET ELMIRA, NY 14904

To the Attention of:  
STEVEN HARPER D Z S & B, Inc.  
DBA - SOUTHSIDE SUB SHOP 374 S. MAIN ST.  
ELMIRA , NY 14904- Owner/Operator Email: None

Re-Inspection  
Date: JAN 30, 2017 11:24 AM  
Inspector: Jonathan Keough (jkeough@co.chemung.ny.us)  
Responsible Person: Steven Harper  
(email: )

Summary  
Number of public health hazards found: 0  
Number of public health hazards NOT corrected: 0  
Number of other violations found: 4

Each item found in violation is reported below along with the code requirement.

**IMPROPER CLEANING, WASHING AND SANITIZING OF EQUIPMENT AND UTENSILS.**

ITEM # 11D WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Non food contact surfaces of equipment not clean

Inspector Findings

Interior shelving of 3-door commercial refrigerator not clean. Exterior parts of equipment not clean, including refrigerator condenser units, non-food contact part of prep/storage tables, refrigerator doors.

**IMPROPER SANITARY FACILITIES AND CONTROLS.**

ITEM # 12C WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Plumbing and sinks not properly sized, installed, maintained; equipment and floors not properly drained

Inspector Findings

Leak observed under middle bay of 3-bay sink.

**IMPROPER CONSTRUCTION AND MAINTENANCE OF PHYSICAL FACILITIES.**

ITEM # 15A WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Floors, walls, ceilings, not smooth, properly constructed, in disrepair, dirty surfaces

Inspector Findings

Some floor tiles missing, pieces broken, in disrepair.

ITEM # 15C WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Premises littered, unnecessary equipment and article present, living quarters no completely separated for food service operations, live animals, birds and pets not excluded

Inspector Findings

Rear storage room contains articles not necessary to food service establishment. A timetable for correction by June 1, 2017 was previously agreed upon.

---

Additional Information Collected During Inspection

Comments

Verified correction of violation #12E-faucet handles at hand wash sink in employee toilet room have been repaired. All violations listed above remain under a timetable for correction. Mail copy of report to facility, per operator.

---

END of REPORT

[Submit# 263801] SOUTHSIDE SUB SHOP (ELMIRA) (ID 265299) Inspection# 1001935482