

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: STONEY'S CASABLANCA (ID: 715677)
Facility Name: STONEY'S CASABLANCA
Facility Code: 01010-01 Facility Email: None
Facility Address: 912 CHEMUNG STREET HORSEHEADS, NY 14845

To the Attention of:
GARY MATTISON, JR. STONEY'S CASABLANCA, INC.
ATTN: GARY MATTISON, JR. 912 CHEMUNG ST.
HORSEHEADS , NY 14845- Owner/Operator Email: mattisons1@stny.rr.com

Inspection
Date: APR 21, 2017 02:43 PM
Inspector: Erin Walmsley (ewalmsley@co.chemung.ny.us)
Responsible Person: Gary Mattison Jr.
(email:)

Summary
Number of public health hazards found: 0
Number of public health hazards NOT corrected: 0
Number of other violations found: 3

Each item found in violation is reported below along with the code requirement.

IMPROPER CLEANING, WASHING AND SANITIZING OF EQUIPMENT AND UTENSILS.

ITEM # 11A WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Manual facilities inadequate, technique incorrect; mechanical facilities not operated in accordance with manufacturer's instructions

Inspector Findings

No sanitizer test strips for chlorine. TTOC 5/21/17

IMPROPER CONSTRUCTION AND MAINTENANCE OF PHYSICAL FACILITIES.

ITEM # 15A WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Floors, walls, ceilings, not smooth, properly constructed, in disrepair, dirty surfaces

Inspector Findings

Observed duct tape being used to patch holes in kitchen floor under dish washer and by post across from cook line. Discussed patching holes with a cleanable material. Time table of correction (TTOC) 5/21/17

ITEM # 15D WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Improper storage of cleaning equipment, linens, laundry unacceptable

Inspector Findings

Observed two unlabeled spray bottles. One with clear liquid stored above 3 bay sink that operator thinks is only water and other with purple liquid near dish machine that operator stated is degreaser. Spray bottles not stored near food or cleaned dish ware at time of inspection. Discussed labeling bottles so it is clear what liquid is in bottle. TTOC 5/21/17

Additional Information Collected During Inspection

Comments

Demonstrated calibration of probe thermometer. Discussed working in small quantities. Discussed hand washing, glove/utensil use and ill food worker policy. Recommended moving soda waste line from going through ice bin (empty during inspection)- operator stated they rarely use ice bin for holding drink ice.

END of REPORT

[Submit# 281453] STONEY'S CASABLANCA (ID 715677) Inspection# 1001961117