

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: THE STRAWBERRY MANSION SOCIETY (ID: 949075)
Facility Name: STRAWBERRY MANSION SOCIETY
Facility Code: 01293-01 Facility Email: rcombs@strawberrymansionsociety.com
Facility Address: 1849 WEST WATER STREET ELMIRA, NY 14905

To the Attention of:
MONIQUE GRAVATT THE STRAWBERRY MANSION SOCIETY
7 HENDY CREEK RD.
ELMIRA , NY 14905- Owner/Operator Email: monique@strawberrymansionsociety.com

Inspection
Date: NOV 07, 2017 10:57 AM
Inspector: Zachary Brueckman (zbrueckman@co.chemung.ny.us)
Responsible Person: Amy Saulnier
(email:)

Summary
Number of public health hazards found: 0
Number of public health hazards NOT corrected: 0
Number of other violations found: 0

Each item found in violation is reported below along with the code requirement.

NO VIOLATIONS WERE OBSERVED.

Code Requirements

Inspector Findings

Additional Information Collected During Inspection

Comments

No violations observed during inspection. Bathroom door is self-closing. At time of inspection homestyle refrigerator had a temperature of 44 F per facility thermometer. Temperature of whole tomatoes was 44 F found in refrigerator. Facility has gloves to prevent bare-hand contact. Facility use quaternary ammonia and has appropriate test strips to evaluate strength of sanitizing solution. Discussed ill worker policy.

END of REPORT

[Submit# 339521] THE STRAWBERRY MANSION SOCIETY (ID 949075) Inspection# 1002215995