

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: T.G.I. FRIDAYS (ID: 911609)
Facility Name: T.G.I. FRIDAYS
Facility Code: 01269-01 Facility Email: 2396@fridays.com
Facility Address: 830 COUNTY ROUTE 64 ELMIRA, NY 14903

To the Attention of:
KERI BEDNARSKI GC FRIDAYS NY, LLC
ATTN: TERRI CARMAN PO BOX 781898
WITCHITA , KS 67278- Owner/Operator Email: terri.carman@issvc.com

Field Visit
Date: DEC 19, 2017 01:45 PM
Inspector: Zachary Cavaluzzi (zcavaluzzi@co.chemung.ny.us)
Responsible Person: emailed to operator
(email:)

Summary
Number of public health hazards found: 0
Number of public health hazards NOT corrected: 0
Number of other violations found: 1

Each item found in violation is reported below along with the code requirement.

IMPROPER SANITARY FACILITIES AND CONTROLS.

ITEM # 12D WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Toilet facilities inadequate, inconvenient, dirty, in disrepair, toilet paper missing, not self-closing doors, missing hand wash signs

Inspector Findings

Door hinge to women's toilet room in disrepair, not self-closing. Time table of correction (TTOC) given for 12/26/17 as agreed upon with manager.
Manager to inform CCHD if replacement hinge arrival is delayed.

Additional Information Collected During Inspection

Comments

Field visit conducted to follow up on complaint of possible undercooked chicken, broken door hinge to women's toilet room, and that the women's toilet room was dirty. Manager discussed procedures for cooking chicken which includes cooking to at least 165F internally, each piece individually checked by thermometer, either on the grill for grilled chicken or in the fryer if breaded chicken. Chicken is received from approved source and remains under cold holding until it is prepared and cooked when ordered by customer. Observed women's toilet room door hinge in disrepair, as stated above, but no dirty surfaces observed in women's toilet room during time of field visit. Manager stated she was not made aware of any complaints and discussed the requirement that facilities must contact CCHD if complaints of food borne illness are brought to the facility's attention.

END of REPORT

[Submit# 351029] T.G.I. FRIDAYS (ID 911609) Inspection# 1002227694