

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: TUNA II (ID: 557030)
Facility Name: TUNA II
Facility Code: 00874-01 Facility Email: None
Facility Address: 1900 GRAND CENTRAL AVENUE HORSEHEADS, NY 14845

To the Attention of:
SHAO XING RONG TUNA JAPANESE SUSHI, INC.
DBA - TUNA II 1900 GRAND CENTRAL AVE.
HORSEHEADS , NY 14845- Owner/Operator Email: yingums@hotmail.com

Inspection
Date: APR 28, 2017 02:37 PM
Inspector: Erin Walmsley (ewalmsley@co.chemung.ny.us)
Responsible Person: Shao Xing Rong
(email:)

Summary
Number of public health hazards found: 0
Number of public health hazards NOT corrected: 0
Number of other violations found: 5

Each item found in violation is reported below along with the code requirement.

FOOD NOT PROTECTED IN GENERAL

ITEM # 8C WAS FOUND IN VIOLATION 1 TIME(S).
All or parts of the violation item are IN violation.
Code Requirements
Improper use and storage of clean, sanitized equipment and utensils

Inspector Findings
Observed dish-ware being stored on empty raw egg shell flats throughout kitchen. Discussed not reusing raw egg shell flats during to potential of contamination.

POOR SANITARY DESIGN, CONSTRUCTION, INSTALLATION OF EQUIPMENT AND UTENSILS.

ITEM # 10B WAS FOUND IN VIOLATION 1 TIME(S).
All or parts of the violation item are IN violation.
Code Requirements
Non-food contact surfaces and equipment are improperly designed, constructed, installed, maintained (equipment not readily accessible for cleaning, surface not smooth finish)

Inspector Findings
Observed cardboard lining surfaces in kitchen and front service counter. Discussed using a cleanable surface.

IMPROPER CLEANING, WASHING AND SANITIZING OF EQUIPMENT AND UTENSILS.

ITEM # 11B WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Wiping cloths dirty, not stored properly in sanitizing solutions

Inspector Findings

No sanitizer (chlorine) in wiping cloth bucket per facility test strips (obtain 0 ppm). Discussed requirement to store wiping cloths in sanitizing solution of 50-200ppm.

IMPROPER CONSTRUCTION AND MAINTENANCE OF PHYSICAL FACILITIES.

ITEM # 15A WAS FOUND IN VIOLATION 2 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Floors, walls, ceilings, not smooth, properly constructed, in disrepair, dirty surfaces

Inspector Findings

1) Observed floor in disrepair in first room of kitchen with chest freezer. Time table of correction 5/12/17. 2) Observed dirty surfaces on floor under equipment in kitchen. TTOC 5/12/17

Additional Information Collected During Inspection

Comments

Demonstrated calibration of probe thermometer. Observed staff using dishwasher with sanitizer for cleaning of dish-ware and utensils. Observed dirty dishes in 3 bay sink to be washed.

END of REPORT

[Submit# 283082] TUNA II (ID 557030) Inspection# 1001963029