

Chemung County Department of Health  
Environmental Health Services  
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588  
(607) 737 - 2019  
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: TURTLE LEAF CAFE (ID: 887253)  
Facility Name: TURTLE LEAF CAFE  
Facility Code: 01230-01 Facility Email: None  
Facility Address: 315 EAST WATER STREET ELMIRA, NY 14901

To the Attention of:  
ADAM BUNCE CASMAR, LLC  
DBA - TURTLE LEAF CAFE 315 E. WATER ST.  
ELMIRA , NY 14901- Owner/Operator Email: adam@turtleleafcafe.com

Inspection  
Date: FEB 28, 2017 09:30 AM  
Inspector: Michael Cain (mcain@co.chemung.ny.us)  
Responsible Person: Adam Bunce, Operator  
(email: )

Summary  
Number of public health hazards found: 0  
Number of public health hazards NOT corrected: 0  
Number of other violations found: 6  
Reinspection is required.

Each item found in violation is reported below along with the code requirement.

**FOOD NOT PROTECTED IN GENERAL**

**ITEM # 8A WAS FOUND IN VIOLATION 1 TIME(S).**

All or parts of the violation item are IN violation.

Code Requirements

Food not protected during storage, preparation, display, transportation and service, from potential sources of contamination (e.g., food uncovered, mislabeled, stored on floor, missing or inadequate sneeze guards, food containers double stacked)

Inspector Findings

Bags of onions improperly stored on floor in dry storage room- Corrected.

**ITEM # 8D WAS FOUND IN VIOLATION 1 TIME(S).**

All or parts of the violation item are IN violation.

Code Requirements

Single service items reused, improperly stored, dispensed, not used when required

Inspector Findings

Paper products improperly stored on floor- dry storage room.

**IMPROPER CLEANING, WASHING AND SANITIZING OF EQUIPMENT AND UTENSILS.**

**ITEM # 11D WAS FOUND IN VIOLATION 3 TIME(S).**

All or parts of the violation item are IN violation.

Code Requirements

Non food contact surfaces of equipment not clean

Inspector Findings

1) Upper edge surfaces of kitchen sandwich unit- dirty surfaces. 2) Exterior surfaces of refrigerated fruit storage unit at smoothie area of front counter- dirty surfaces. 3) Exterior surfaces of ice machine at front counter- dirty surfaces.

## IMPROPER CONSTRUCTION AND MAINTENANCE OF PHYSICAL FACILITIES.

ITEM # 15B WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

### Code Requirements

Lighting and ventilation inadequate, fixtures not shielded, dirty ventilation hoods, ductwork, filters, exhaust fans

### Inspector Findings

Kitchen hood ventilation filters- dirty surfaces.

---

### Additional Information Collected During Inspection

### Comments

A Time Table of Compliance Date of March 14, 2017 has been established to correct the violations listed above. A re-inspection will be conducted after this date to determine compliance. Discussed proper cooling with Cook during inspection. Also discussed routine hand washing and proper use of plastic gloves with Operator during inspection.

---

END of REPORT

[Submit# 270044] TURTLE LEAF CAFE (ID 887253) Inspection# 1001945447