

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: TURTLE LEAF CAFE (ID: 887253)
Facility Name: TURTLE LEAF CAFE
Facility Code: 01230-01 Facility Email: None
Facility Address: 315 EAST WATER STREET ELMIRA, NY 14901

To the Attention of:
ADAM BUNCE CASMAR, LLC
DBA - TURTLE LEAF CAFE 315 E. WATER ST.
ELMIRA , NY 14901- Owner/Operator Email: adam@turtleleafcafe.com

Re-Inspection
Date: MAR 21, 2017 10:30 AM
Inspector: Michael Cain (mcain@co.chemung.ny.us)
Responsible Person: Adam Bunce, Operator
(email:)

Summary
Number of public health hazards found: 0
Number of public health hazards NOT corrected: 0
Number of other violations found: 1

Each item found in violation is reported below along with the code requirement.

IMPROPER CLEANING, WASHING AND SANITIZING OF EQUIPMENT AND UTENSILS.

ITEM # 11D WAS FOUND IN VIOLATION 1 TIME(S).
Part or parts of the violation item were observed to be in violation which were corrected at the time of inspection.
Code Requirements
Non food contact surfaces of equipment not clean

Inspector Findings

Exterior surface (outer edges of glass-doored refrigerated storage unit at smoothie area at front counter- dirty surfaces- Operator to clean surface and remove debris today- Corrected.

Additional Information Collected During Inspection

Comments

Conducted re-inspection due to violations listed on previous inspection report of 2-28-17. Paper products were removed from floor in dry storage room. Ice machine exterior surfaces and sandwich unit in kitchen clean. Hood filters were cleaned above kitchen cook line equipment. Will conduct a HACCP training exercise with cook staff later in year.

END of REPORT

[Submit# 274038] TURTLE LEAF CAFE (ID 887253) Inspection# 1001951211