

Chemung County Department of Health  
Environmental Health Services  
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588  
(607) 737 - 2019  
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: ZACK'S GRILL (ID: 891335)  
Facility Name: ZACK'S GRILL  
Facility Code: 01240-01 Facility Email: None  
Facility Address: 1825 PENNSYLVANIA AVENUE PINE CITY, NY 14871

To the Attention of:  
JOHN ZACK, JR ZACK'S GRILL, LLC  
1825 PENNSYLVANIA AVE.  
PINE CITY , NY 14871- Owner/Operator Email: zacksgrill@yahoo.com

Re-Inspection  
Date: APR 14, 2017 10:11 AM  
Inspector: Jonathan Keough (jkeough@co.chemung.ny.us)  
Responsible Person: John Zack, Sr.  
(email: )

Summary  
Number of public health hazards found: 0  
Number of public health hazards NOT corrected: 0  
Number of other violations found: 5

Each item found in violation is reported below along with the code requirement.

**IMPROPER CLEANING, WASHING AND SANITIZING OF EQUIPMENT AND UTENSILS.**

ITEM # 11D WAS FOUND IN VIOLATION 2 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Non food contact surfaces of equipment not clean

Inspector Findings

1. Interior baffle of ice machine not clean (red growth observed). 2. Wooden shelving in walk-in freezer are not clean. Timetable for correction for ice machine extended to 5/1/17 and 7/1/17 for shelving (whole freezer scheduled to be replaced).

**INADEQUATE INSECT/RODENT CONTROL**

ITEM # 14B WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Effective measures not used to control entrance (rodent-, insect-proof construction). Harborage areas available for rodents, insects and other vermin

Inspector Findings

Holes in wall at cove molding and wainscoting between new bar area and dining area of facility. Timetable for correction extended to 5/1/2017 at time of reinspection.

## IMPROPER CONSTRUCTION AND MAINTENANCE OF PHYSICAL FACILITIES.

ITEM # 15A WAS FOUND IN VIOLATION 2 TIME(S).

All or parts of the violation item are IN violation.

### Code Requirements

Floors, walls, ceilings, not smooth, properly constructed, in disrepair, dirty surfaces

### Inspector Findings

1. Floor in walk in freezer is not clean. A timetable for correction (ttoc) for cleaning or replacing extended to 7/1/2017.
2. Floor tiles missing around dish machine. Ttoc for replacing tiles or otherwise making floor smooth, easily cleanable, light colored and non-absorbent extended to 7/1/17.

---

### Additional Information Collected During Inspection

### Comments

The following items were observed corrected from previous inspection: 5A-facility correctly using cold-holding waiver for holding of liquid eggs, other items, discard times marked on paper on refrigerator; 8B-probe thermometers stored clean and dry; 11D-make unit near cook line (interior and exterior), wooden shelving/cabinets across from cook line have been cleaned & repainted; 14A-no rodent activity observed; 15A-flooring around cooking equipment, in hall near walk-in freezer and refrigerator, inside walk-in refrigerator have been cleaned.

---

END of REPORT

[Submit# 279982] ZACK'S GRILL (ID 891335) Inspection# 1001959348