

Chemung County Department of Health
Environmental Health Services
103 Washington Street
P. O. Box 588
Elmira, NY 14902-0588
(607) 737-2019
EHS@co.chemung.ny.us

Food Service Establishment Inspection Summary Report

Operation: ZONTA HOUSE - EZC CORP. (ID: 265317)
Facility Name: ZONTA HOUSE - EZC CORP.
Facility Code: 00185-01
Facility Address: 742 West First Street, Elmira, NY 14905

To the Attention of:

Candace Scofield
EZC CORPORATION
Attn: C. Scofield, Chairperson
742 W. First St.
Elmira, NY 14905
Email: cjscofield33@yahoo.com

Pre-op Inspection

Date: December 28, 2018 02:00 PM
Inspector: Zachary Brueckman (zbrueckman@co.chemung.ny.us)
Responsible Person: Candace Scofield

Summary

Number of Public Health Hazards Found:	0
Number of Public Health Hazards NOT Corrected:	0
Number of Other Violations Found:	1

Each item found in violation is reported below along with the code requirement.

NO CRITICAL VIOLATIONS REPORTED

IMPROPER CLEANING, WASHING AND SANITIZING OF EQUIPMENT AND UTENSILS.

ITEM #11A WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the item are violations.

Code Requirements: Manual facilities inadequate, technique incorrect; mechanical facilities not operated in accordance with manufacturer's instructions

Inspector Findings: No test strips available to evaluate chlorine sanitizer.

Additional Information Collected During Inspection

Comments: Observed accurate probe thermometer. Observed an accurate analog thermometer in the refrigerator. No potentially hazardous time or temperature controlled for safety foods to analyze. Observed appropriate hand-washing materials including soap, hot water, and paper towels. Observed brand new homestyle dishwasher. Observed gloves to prevent bare hand contact. Contacted staff in regards to homestyle dishwasher, only able to wash and rinse. Discussed in e-mail that a sanitize step is necessary.



Inspector: Zachary Brueckman
(zbrueckman@co.chemung.ny.us)



Received by: Candace Scofield