

Chemung County Department of Health
Environmental Health Services
103 Washington Street
P. O. Box 588
Elmira, NY 14902-0588
(607) 737-2019
EHS@co.chemung.ny.us

Food Service Establishment Inspection Summary Report

Operation: AMERICAN FOOD - KENNEDY VALVE CAFETERIA (ID: 265609)
Facility Name: AMERICAN FOOD - KENNEDY VALVE
Facility Code: 00186-01
Facility Address: 1021 East Water Street, Elmira, NY 14901

To the Attention of:

Jim Degennaro
AMERICAN FOOD & VENDING CORP., INC.
Attn: Permit Renewals
124 Metropolitan Park Dr.
Liverpool, NY 13088
Email: safety@afvusa.com

Inspection

Date: November 8, 2018 11:24 AM
Inspector: Zachary Brueckman (zbrueckman@co.chemung.ny.us)
Responsible Person: Teuta Hoxha

Summary

Number of Public Health Hazards Found:	0
Number of Public Health Hazards NOT Corrected:	0
Number of Other Violations Found:	0

Each item found in violation is reported below along with the code requirement.

NO CRITICAL VIOLATIONS REPORTED


NO ADDITIONAL VIOLATIONS REPORTED

Additional Information Collected During Inspection

Comments: No violations observed. Food service worker using gloves and spatula to serve ready to eat pizza. Observed bottled soda and other drinks stored up off floor. Observed food service worker wash hands after glove changes during inspection.



Inspector: Zachary Brueckman
(zbrueckman@co.chemung.ny.us)



Received by: Teuta Hoxha