

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: BISTRO 223 (ID: 736907)
Facility Name: BISTRO 223
Facility Code: 01041-02 Facility Email: None
Facility Address: 221-223 WEST WATER STREET ELMIRA, NY 14901

To the Attention of:
MASROOR AHMAD BISTRO 223, LLC
DBA - BISTRO 223 221-223 W. WATER ST.
ELMIRA , NY 14901- Owner/Operator Email: maxtareen@yahoo.com

Pre-op Inspection
Date: MAY 31, 2018 01:50 PM
Inspector: Michael Cain (mcain@co.chemung.ny.us)
Responsible Person: Max Ahmad, Operator
(email:)

Summary
Number of public health hazards found: 0
Number of public health hazards NOT corrected: 0
Number of other violations found: 2
Reinspection is required.

Each item found in violation is reported below along with the code requirement.

IMPROPER SANITARY FACILITIES AND CONTROLS.

ITEM # 12C WAS FOUND IN VIOLATION 1 TIME(S).
All or parts of the violation item are IN violation.
Code Requirements
Plumbing and sinks not properly sized, installed, maintained; equipment and floors not properly drained

Inspector Findings
At bar sink, aerator screen is leaking(sprays on to floor).

IMPROPER CONSTRUCTION AND MAINTENANCE OF PHYSICAL FACILITIES.

ITEM # 15A WAS FOUND IN VIOLATION 1 TIME(S).
All or parts of the violation item are IN violation.
Code Requirements
Floors, walls, ceilings, not smooth, properly constructed, in disrepair, dirty surfaces

Inspector Findings
Section of wall behind refrigerator in kitchen in disrepair.

Additional Information Collected During Inspection

Comments

Conducted a pre-operational inspection with Operator, facility is not open during the daytime. Numerical thermometers available for evaluating cooked potentially hazardous (TCS) foods. Monitoring thermometers available inside refrigerated equipment which is used to store cold potentially hazardous foods. A Time Table of Compliance Date of June 15, 2018 has been established to correct the violations listed above. A re-inspection will be conducted after this date to determine compliance.

END of REPORT

[Submit# 392444] BISTRO 223 (ID 736907) Inspection# 1002325676