

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: CLASSIC CAFE / McCLELLAND CATERING (ID: 852102)
Facility Name: CLASSIC CAFE CATERING
Facility Code: 01188-01 Facility Email: None
Facility Address: 809 PENNSYLVANIA AVENUE ELMIRA, NY 14904

To the Attention of:
TODD McCLELLAND CLASSIC CAFE & F.S., INC.
ATTN: TODD McCLELLAND 805 PENNSYLVANIA AVE.
ELMIRA , NY 14904- Owner/Operator Email: todd@visitclassiccafe.com

Inspection
Date: MAY 07, 2018 09:49 AM
Inspector: Zachary Brueckman (zbrueckman@co.chemung.ny.us)
Responsible Person: Todd McClelland
(email:)

Summary
Number of public health hazards found: 0
Number of public health hazards NOT corrected: 0
Number of other violations found: 2

Each item found in violation is reported below along with the code requirement.

IMPROPER SANITARY FACILITIES AND CONTROLS.

ITEM # 12E WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Handwashing facilities inaccessible, improperly located, dirty, in disrepair, improper fixtures, soap, and single service towels or hand drying devices missing

Inspector Findings

Handwash sink behind bar lacking soap and paper towels.

INADEQUATE INSECT/RODENT CONTROL

ITEM # 14C WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Pesticide application not supervised by a certified applicator

Inspector Findings

Observed several cans of insecticide in stand alone cabinet containing cleaning compounds next to commercial refrigeration. Discussed requirement to have only DEC licensed pest control operators apply pesticides in facility. Insecticide products were removed from premise. CORRECTED.

Additional Information Collected During Inspection

Comments

Facility has operational digital thermometer. Observed pepperoni in commercial refrigerator at a temperature of 41F. Observed sauce being re-heated on stove top. Facility has adequate hand-washing supplies in bathrooms. Observed staff preparing ready to eat foods (RTE) while wearing gloves to prevent barehand contact. Inspection occurred during preparation for a catering event to be hosted at facility.

END of REPORT

[Submit# 385265] CLASSIC CAFE / McCLELLAND CATERING (ID 852102) Inspection# 1002296176