

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Institutional Food Service Inspection -- Summary Report

Operation: COBURN SCHOOL CAFETERIA (ID: 265494)
Facility Name: COBURN SCHOOL
Facility Code: 00422-09 Facility Email: None
Facility Address: 216 MT. ZOAR STREET ELMIRA, NY 14904

To the Attention of:
KARI CROUSE ELMIRA CITY SCHOOL DISTRICT
C/O - ELMIRA H.S. (Attn: K. CROUSE) 777 S. MAIN ST.
ELMIRA , NY 14904- Owner/Operator Email: kcrouse@gstboces.org

Inspection

Date: FEB 09, 2018 10:15 AM
Inspector: Michael Cain (mcain@co.chemung.ny.us)
Responsible Person: Mary Lewis, Kit. Manager
(email:)

Summary

Number of public health hazards found: 0
Number of public health hazards NOT corrected: 0
Number of other violations found: 0

Each item found in violation is reported below along with the code requirement.

NO VIOLATIONS WERE OBSERVED.

Code Requirements

Inspector Findings

Additional Information Collected During Inspection

Comments

Checked food temperatures- Green Beans- 158dF, Mozzarella Sticks- 158dF, Marinara Sauce- 168dF, Cooked Pasta- 168df, Chicken Nuggets- 158dF, Milk-38dF, Cut Cantaloupe- 38dF, Chicken Wrap- 40dF (in refrigerator), Yogurt-38dF . Employees were observed properly using plastic gloves during inspection. Digital thermometer available to check cooked potentially hazardous TCS foods. Wiping cloth solution- 200ppm, quaternary ammonia sanitizer test kit available... Final rinse temperature at dish machine- 186dF (per gauge). No violations noted during inspection.

END of REPORT

[Submit# 362875] COBURN SCHOOL CAFETERIA (ID 265494) Inspection# 1002272596