

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: DRAGON WOK (ID: 265326)
Facility Name: DRAGON WOK
Facility Code: 00441-01 Facility Email: None
Facility Address: 2898 WESTINGHOUSE ROAD HORSEHEADS, NY 14845

To the Attention of:
BOBBY CHEN CHEN WANG KO, INC.
DBA - DRAGON WOK 2898 WESTINGHOUSE RD., SUITE 572
HORSEHEADS , NY 14845- Owner/Operator Email: dragonwok.hhds@gmail.com

Re-Inspection
Date: JAN 29, 2018 12:25 PM
Inspector: Erin Walmsley (ewalmsley@co.chemung.ny.us)
Responsible Person: Bobby Chen
(email:)

Summary
Number of public health hazards found: 0
Number of public health hazards NOT corrected: 0
Number of other violations found: 5

Each item found in violation is reported below along with the code requirement.

POOR SANITARY DESIGN, CONSTRUCTION, INSTALLATION OF EQUIPMENT AND UTENSILS.

ITEM # 10B WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Non-food contact surfaces and equipment are improperly designed, constructed, installed, maintained (equipment not readily accessible for cleaning, surface not smooth finish)

Inspector Findings

Door gasket on walk-in freezer broken/lacking. Time table of correction 2/19/18.

IMPROPER CLEANING, WASHING AND SANITIZING OF EQUIPMENT AND UTENSILS.

ITEM # 11A WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Manual facilities inadequate, technique incorrect; mechanical facilities not operated in accordance with manufacturer's instructions

Inspector Findings

Facility to obtain chlorine test strips. Operator stated he would obtain test strips today.

ITEM # 11D WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Non food contact surfaces of equipment not clean

Inspector Findings

Dirty surfaces on shelving in walk-in cooler. TTOC 2/19/18.

IMPROPER SANITARY FACILITIES AND CONTROLS.

ITEM # 12C WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Plumbing and sinks not properly sized, installed, maintained; equipment and floors not properly drained

Inspector Findings

Observed frozen waste water on back of condenser being collected in bucket in walk-in freezer. Still under ttoc of 2/14/18.

IMPROPER CONSTRUCTION AND MAINTENANCE OF PHYSICAL FACILITIES.

ITEM # 15A WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Floors, walls, ceilings, not smooth, properly constructed, in disrepair, dirty surfaces

Inspector Findings

Dirty surfaces on walls of walk-in cooler. TTOC 2/19/18.

Additional Information Collected During Inspection

Comments

Provided food training with operator and staff during voluntary closure. Reviewed proper procedures for thawing, cooling, preparation, storage, hot holding temperature (140dF), cold holding temperature (45dF), hand washing, and sanitizing of equipment and utensils. Provided staff with requirements in Chinese. Reviewed use of probe thermometer. Recommended additional refrigeration. The following items have been corrected from previous inspection: 8A) Food stored in food grade bags. 10B) Operator fixed pin on door hinge to prevent from falling off. 12D) Mens restroom cleaned. 14B) Facility has new back door. 15A) Metal plate installed on floor of walk-in cooler to seal hole. 15A) Facility has cleaned floor surfaces along edges of wall and under equipment. Discussed cleaning frequency with operator.

END of REPORT

[Submit# 359747] DRAGON WOK (ID 265326) Inspection# 1002251680