

Chemung County Department of Health  
Environmental Health Services  
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588  
(607) 737 - 2019  
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: Fairfield Inn - Breakfast Food Service (ID: 828363)  
Facility Name: FAIRFIELD INN & SUITES  
Facility Code: 07-4675 Facility Email: None  
Facility Address: 1600 COUNTY ROUTE 64 HORSEHEADS, NY 14845

To the Attention of:  
HEMANT PATEL HORSEHEADS LODGING GROUP, LLC  
DBA - FAIRFIELD INN & SUITES 1600 COUNTY ROUTE 64  
HORSEHEADS , NY 14845- Owner/Operator Email: tmagnusen@visions-hotels.com

Inspection  
Date: JAN 31, 2018 08:47 AM  
Inspector: Erin Walmsley (ewalmsley@co.chemung.ny.us)  
Responsible Person: Tom Magnusen  
(email: )

Summary  
Number of public health hazards found: 1  
Number of public health hazards NOT corrected: 0  
Number of other violations found: 1

Each item found in violation is reported below along with the code requirement.

**FOODS NOT PROTECTED FROM CONTAMINATION, TEMPERATURES NOT MEASURED.**

**ITEM # 2E WAS FOUND IN VIOLATION 1 TIME(s). CRITICAL VIOLATION**

All or parts of the violation item are IN violation.

Code Requirements

Accurate thermometers not available or used to evaluate potentially hazardous food temperatures during cooking, cooling, reheating and holding.

Inspector Findings

Facility's digital thermometer broken and probe thermometer inaccurate by ~32dF. Staff indicated that she uses digital thermometer but on/off button missing-unable to turn on. Facility has a back up probe thermometer which was reading 0dF in ice water during calibration. Demonstrated calibration process and adjusting probe thermometer to 32dF. CORRECTED.

**FOOD NOT PROTECTED IN GENERAL**

**ITEM # 8A WAS FOUND IN VIOLATION 1 TIME(s).**

All or parts of the violation item are IN violation.

Code Requirements

Food not protected during storage, preparation, display, transportation and service, from potential sources of contamination (e.g., food uncovered, mislabeled, stored on floor, missing or inadequate sneeze guards, food containers double stacked)

Inspector Findings

Observed ~6 apples stored in a bowl without sneeze guard. Discussed protecting fruits with edible skins from potential contamination. Staff placed apples in tray with dome for protection. CORRECTED

---

Additional Information Collected During Inspection

Comments

Oatmeal at temperature of 188dF in hot holding kettle. Milk and yogurt at temperature of 37dF in mini fridge on service line. Observed sanitizer (Quaternary Ammonia) in wiping cloth bucket at 400ppm with facility's test strips.

---

END of REPORT

[Submit# 360365] Fairfield Inn - Breakfast Food Service (ID 828363) Inspection# 1002252434