

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: THE FIELD HOUSE (ID: 265604)
Facility Name: FIELD HOUSE, THE
Facility Code: 00145-01 Facility Email: None
Facility Address: 470 MT. ZOAR STREET ELMIRA, NY 14904

To the Attention of:
JEFFREY KEAGLE KEAGLE REALTY, LLC
C/O - JEFFREY KEAGLE 212 MEADOWBROOK PARKWAY EAST
HORSEHEADS , NY 14845- Owner/Operator Email: jeffmm.3@gmail.com

Re-Inspection
Date: APR 11, 2018 10:43 AM
Inspector: Zachary Brueckman (zbrueckman@co.chemung.ny.us)
Responsible Person: Jeff Keagle
(email:)

Summary
Number of public health hazards found: 0
Number of public health hazards NOT corrected: 0
Number of other violations found: 1

Each item found in violation is reported below along with the code requirement.

IMPROPER CLEANING, WASHING AND SANITIZING OF EQUIPMENT AND UTENSILS.

ITEM # 11A WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Manual facilities inadequate, technique incorrect; mechanical facilities not operated in accordance with manufacturer's instructions

Inspector Findings

Facility lacking test strips for quaternary ammonia sanitizer at time of re-inspection. Per operator, will acquire test strips at end of day.

Additional Information Collected During Inspection

Comments

Conducted re-inspection of facility on 4/11/18. Violation 10 B- ice baffle not clean has been corrected. Observed clean baffle inside ice machine film no longer present.

END of REPORT

[Submit# 378537] THE FIELD HOUSE (ID 265604) Inspection# 1002289708