

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: M & M RED HOTS (ID: 959998)
Facility Name: M & M RED HOTS
Facility Code: 00190-01 Facility Email: None
Facility Address: 212 BALDWIN STREET ELMIRA, NY 14901

To the Attention of:
ANDREW SEYMOUR
DBA - M & M RED HOTS 212 BALDWIN ST.
ELMIRA , NY 14901- Owner/Operator Email: mapleview1543@gmail.com

Inspection

Date: MAR 30, 2018 10:00 AM
Inspector: Michael Cain (mcain@co.chemung.ny.us)
Responsible Person: Andy Seymour, Operator
(email:)

Summary

Number of public health hazards found: 0
Number of public health hazards NOT corrected: 0
Number of other violations found: 0

Each item found in violation is reported below along with the code requirement.

NO VIOLATIONS WERE OBSERVED.

Code Requirements

Inspector Findings

Additional Information Collected During Inspection

Comments

No violations during inspection. Ceiling light fixture in women's rest room- cover is not secure. Numerical thermometers available for monitoring cooked potentially hazardous (TCS) foods. Checked hot-held potentially hazardous foods during inspection- were maintained above +140 dF. Refrigerated equipment which is used to store cold PHF's have monitoring thermometers and were maintained below 45 dF. Sanitizer test kit available for wiping cloths and dish ware washing of equipment and utensils. Employees were observed properly using plastic gloves and utensils during inspection, were also observed washing hands during inspection. Will conduct a HACCP training with Operator later in year.

END of REPORT

[Submit# 375363] M & M RED HOTS (ID 959998) Inspection# 1002285626