

Chemung County Department of Health  
Environmental Health Services  
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588  
(607) 737 - 2019  
EHS@co.chemung.ny.us

Institutional Food Service Inspection -- Summary Report

Operation: NOTRE DAME HIGH SCHOOL CAFETERIA (ID: 265512)  
Facility Name: NOTRE DAME HIGH SCHOOL  
Facility Code: 00225-09 Facility Email: ndhs@hotmail.com  
Facility Address: 1400 MAPLE AVENUE ELMIRA, NY 14904

To the Attention of:  
SANDRA SIMPSON NOTRE DAME HIGH SCHOOL  
ATTN: BUSINESS OFFICE (T. Mustico) 1400 MAPLE AVE.  
ELMIRA , NY 14904- Owner/Operator Email: cafemanager@notredamehighschool.com

Inspection  
Date: MAY 07, 2018 10:49 AM  
Inspector: Jonathan Keough (jkeough@co.chemung.ny.us)  
Responsible Person: emailed to operator  
(email: ssimpson@notredamehighschool.com)

Summary  
Number of public health hazards found: 0  
Number of public health hazards NOT corrected: 0  
Number of other violations found: 3

Each item found in violation is reported below along with the code requirement.

**IMPROPER CLEANING, WASHING AND SANITIZING OF EQUIPMENT AND UTENSILS.**

ITEM # 11A WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Manual facilities inadequate, technique incorrect; mechanical facilities not operated in accordance with manufacturer's instructions

Inspector Findings

Facility lacking test strips to evaluate sanitizer (chlorine), which is used in automatic dish machine.

**INADEQUATE INSECT/RODENT CONTROL**

ITEM # 14C WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Pesticide application not supervised by a certified applicator

Inspector Findings

Observed one can of pesticide and one can of herbicide on window sill in separate maintenance room inside cafeteria area. Staff voluntarily removed pesticides at time of inspection. CORRECTED

**IMPROPER CONSTRUCTION AND MAINTENANCE OF PHYSICAL FACILITIES.**

ITEM # 15A WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Floors, walls, ceilings, not smooth, properly constructed, in disrepair, dirty surfaces

Inspector Findings

Observed rodent feces in corner of dry goods storage room near bait station and in kitchen area, behind Snapple refrigerator. No evidence of rodent activity observed in monitoring stations, however.

---

Additional Information Collected During Inspection

Comments

Observed handling ready to eat foods (RTE) while wearing gloves to prevent barehand contact. Discussed procedure to prepare egg salad including using pre-chilled ingredients such as mayonnaise. Observed milk in service cooler at a temperature of 41F. Observed cooked ground beef being cooled in walk-in cooler. Beef was in uncovered perforated metal pan in a depth less than 4 inches.

---

END of REPORT

[Submit# 385285] NOTRE DAME HIGH SCHOOL CAFETERIA (ID 265512) Inspection# 1002296195