

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: PAESANO'S (ID: 973605)
Facility Name: PAESANO'S
Facility Code: 01063-01 Facility Email: None
Facility Address: 600 PENNSYLVANIA AVENUE ELMIRA, NY 14904

To the Attention of:
KEVIN LAZESKI DOUGH GRINDERS, LLC
DBA - PAESANO'S 600 PENNSYLVANIA AVE.
ELMIRA , NY 14904- Owner/Operator Email: flush1706@hotmail.com

Inspection
Date: JAN 31, 2018 10:44 AM
Inspector: Zachary Brueckman (zbrueckman@co.chemung.ny.us)
Responsible Person: Clint Hutchison
(email:)

Summary
Number of public health hazards found: 2
Number of public health hazards NOT corrected: 0
Number of other violations found: 1

Each item found in violation is reported below along with the code requirement.

FOODS ADULTERATED OR RECEIVED FROM UNAPPROVED SOURCES.

ITEM # 1H WAS FOUND IN VIOLATION 1 TIME(S). CRITICAL VIOLATION

All or parts of the violation item are IN violation.

Code Requirements

Food from unapproved source, spoiled, adulterated on premises.

Inspector Findings

Water collecting on bottom shelf of sandwich make unit near hand wash sink. Per manager, water collects when condenser cools air that enters make unit through small gap to outside of unit. Water observed is not waste water from condenser, as no water was observed around condenser. Two quart sized containers of half and half, one half gallon of whole milk, and two pounds of celery, which were observed in direct contact with water, were voluntarily discarded by worker. CORRECTED. Advised manager to stop storing food on bottom shelf of make unit, or place rack on bottom to keep food stored away from potential contamination until unit is repaired or replaced.

FOODS NOT PROTECTED FROM CONTAMINATION BY OTHER SOURCES.

ITEM # 4A WAS FOUND IN VIOLATION 1 TIME(S). CRITICAL VIOLATION

All or parts of the violation item are IN violation.

Code Requirements

Toxic chemicals are improperly labeled, stored or used so that contamination of food can occur.

Inspector Findings

Small can of WD-40 was observed on wire rack (not solid) shelf above stainless steel dough make table where workers were preparing dough. No contamination observed. WD-40 was voluntarily removed from wire rack shelf and placed into cleaning supplies storage by manager to prevent possibility of contamination. CORRECTED

POOR SANITARY DESIGN, CONSTRUCTION, INSTALLATION OF EQUIPMENT AND UTENSILS.

ITEM # 10B WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Non-food contact surfaces and equipment are improperly designed, constructed, installed, maintained (equipment not readily accessible for cleaning, surface not smooth finish)

Inspector Findings

Water is pooling on bottom shelf of sandwich make unit due to condenser cooling air entering from outside unit. Time table of correction to repair or replace cold holding unit set for 3/31/18.

Additional Information Collected During Inspection

Comments

Facility has operational digital thermometer. Staff were using gloves when handling ready to eat food. Facility is replacing older sandwich make unit within next two months per manager. Discussed hot holding waiver at time of inspection. No pizzas under hot-holding waiver were prepared at time of inspection.

END of REPORT

[Submit# 360588] PAESANO'S (ID 973605) Inspection# 1002267069